



SEE ALL YOU CAN DO

# SUMMARY

**FOCUS PPE** 

**LENSES** 

**B-CLEAN** 

**GUIDE** 

**SELECTION** 

**PLATINUM** 

**GOGGLES** 

**CO-BRANDING** 

**GLASSES** 

**PRODUCT DESIGN** 

**OUR SEGMENTS** 

**GO GREEN** 



**FACE SHIELDS** 

**WHO WE ARE** 

**EXCELLENCE** 

**WELDING** 

**MARKINGS** 

OVER

THE GLASSES

**ACCESSORIES** 

**QUICK SEARCH** 

72-HOUR SHIPPING

Because doing your job at full capacity can't wait.

**GLOBAL PRODUCTION CAPACITY** 

> With 10 manufacturing plants around the world.

**COMPLIANCE WITH** INTERNATIONAL STANDARDS

> Our products comply with all global quality standards for safety eyewear such as the EN166.

TRUSTED BY THE BEST

We work with top organizations such as General Electrics, BP. Eiffage, Coca-Cola, EDF, Rolls-Royce.

A MORE SUSTAINABLE **PRODUCTION** 

> We strive to develop products with greener materials and manufacturing processes for a better future for you, us, and the planet.

**CERTIFIED CONTROL** 

We retain total control over the quality and safety of the products we make. Our factories are ISO 9001 certified.

**CONSTANT INNOVATION** 

We are constantly improving our protective eyewear to provide better protection for all healthcare professionals.

# THE GLOBAL PUREPLAYER IN PPE EYEWEAR

AT YOUR SERVIC



PETER SMITH BOLLÉ SAFETY CEO

As CEO of Bollé Brands, it is a privilege for me to serve the millions of hard-working industrial workers who use Bollé Safety products every day. A privilege because I feel that we render a genuine service to the industries and families that rely on them in the form of quality eye protection.

Bollé has been a leader in the eyewear industry since 1888.

The industrial sector has been our main focus since day one: in the 1950's, Bollé Safety was founded with the ambition to protect the eyes of industrial workers from the harsh environments they work in. And we continue this legacy today with innovations like PLATINUM and PLATINUM LITE, our anti-fog and anti-scratch coatings, or ProBlu, protective and stylish eyewear range against harmful blue light.

We are now working on our legacy for tomorrow, with sustainability as our number one priority: we are fully invested to develop sustainable products like the Solis Go Green glasses and our eco-packaging, as part of our Go Green plan.

For the past 60 years, industrial companies and workers all over the world have come to expect the highest standards of excellence when it comes to Bollé Safety products. Combined with our Comfort Sense Perception (CSP) lens filtering technology, Bollé Safety offers over +400 combinations of protection for any job, any time, anywhere.

But we didn't just become the world's most trusted protective eyewear manufacturer based on safety alone. Ask any wearer of Bollé Safety PPE and they will tell you that what makes us different from other brands is our mindset of creating products that don't just keep you safe, but also let you be great at what you do.

So this catalog doesn't just represent industrial eye protection at its best. It also represents all the men and women who wear Bollé Safety on the job working at their best as well.

We take pride in that trust.

So, if you already wear Bollé Safety, thank you for your loyalty. And if this is your first time with us, we are pleased to welcome you into this family of greatness.

And we can't wait to See All You Can Do.


# SAFETY, MOTIVA AND WELL-BEIN

REASONS

# PERSONAL PROTECTIVE EQUIPMENT HAS MORE THAN PROTECTION TO OFFER

From helmets to hi-vis vests to eyewear, PPE covers a wide range of equipment whose primary function is of course to protect workers from hazards and injuries. But beyond this fundamental

preventive role, protective gear also has a lot to contribute in terms of employee engagement, motivation and wellbeing.



### ENSURING THE BASICS: EQUIPMENT SELECTION AND MAINTENANCE



Offer on the PPE market is large, so it's important to take the time to identify the eyewear that's right for your needs. Before anything, ask yourself what type of exposure your workers need protection from, go for products that are compliant with regulations and to choose suitable equipment in terms of fit and weight. If several protective items are to be used simultaneously, make sure that it won't be a problem. for example that there will be no conflict between the selected safety goggles and face masks. Also keep in mind that if the users are involved in the choice of their equipment, they will be more likely to use it.

But they have to use it right. Make sure employees are properly informed and trained about the use of the equipment -how to tighten strap or how to add a gasket for instance, or what the limitations are in terms of usage. Lastly, PPE must always be adequately maintained and monitored. As these are items that are often exposed to extensive wear and tear, companies need to make sure the equipment is properly stored, checked and replaced whenever necessary. Keep replacement stock available, ensure there are clearly designated people responsible for maintenance and request that employees report any loss, destruction or defects.

# TION G

# SAFE THEREFORE MOTIVATED

Once all these requirements and precautions are met, you're set to reap the additional benefits of PPE: employee engagement and wellbeing, along with a cherry on the cake-increased productivity.

For obvious reasons, employees who feel safe in their daily tasks and suffer less injuries and illness are bound to be more efficient in their work. Wearing protective eyewear tailored to the specific needs of their work environments makes their lives much easier-and when something is easier, you do it faster and better, which boosts motivation. Not to mention the reduction or absence of injuries will help keep staff morale high.

Enjoying the right, high-quality and well-maintained protective equipment that's adapted to the task at hand and properly used, employees become more safety conscious and feel more engaged in their work, as they are confident in the fact their company cares about their safety and wellbeing. In the end, having the right PPE for the job can do much more than helping them see better: it will help them be great at what they do and unlock their full potential.

You can also take advantage of our co-branding offer to provide your employees with customized protective eyewear they will be proud to wear.

#### THE BENEFITS OF SAFETY EYEWEAR

Protective eyewear does wonders for the safety of workers and the productivity of companies. Don't take our word for it, take a look at the following numbers:



of eye injuries could be prevented with appropriate safety eyewear <sup>1</sup>



Productivity gains yea could reach if e

**billion** globally by eliminating bad vision problems <sup>3</sup>

workplace injuries could be avoided every year in the US alone if eye protection was worn <sup>2</sup>

Eradicating eye injuries would save

\$300

Industrial manufacturing is the

market for protective eyewear: 31% of total revenue in 2018 5

million in medical expenses and worker compensation each year <sup>4</sup>

- https://preventblindness.org/preventing-eye-injuries/#1585701834003-65402908-aa1a
- <sup>2</sup> https://preventblindness.org/
- <sup>3</sup> Visual Ergonomics in the Workplace-SAGE Journals JR Anshel -2007
- <sup>4</sup> https://www.osha.gov/eye-face-protection
- <sup>5</sup> grandviewresearch.com

# MANUFACTURING

WORKING IN AN INDUSTRIAL ENVIRONMENT MEANS BEING PART OF A TEAM THAT'S COUNTING ON THE PRECISION OF YOUR WORK. WHY? BECAUSE IT WILL HAVE A DIRECT IMPACT ON THE QUALITY OF THE GOODS YOU'RE MANUFACTURING, WHICH YOUR CUSTOMERS WILL USE FOR YEARS.





### RECOMMENDED PRODUCTS

Assembly line worker RUSH+ CLEAR

Machine operator SILEX + CLEAR

Plant operator NESS + CLEAR

Industrial engineer SILIUM + CLEAR

Quality control inspector COBRA HD

Forklift driver CONTOUR COPPER

Warehouse Worker IRI-S CLEAR

Electronic assembler RUSH HD

Production Painter ATOM

Metal Worker FLASH

Other products may also be suitable within this industry



#### **IMPACTS**

Mechanical risks are mainly present during machining operations that can project potentially sharp-edged particles with high kinetic energy. Impact hazards vary according to industrial sectors: they can require safety spectacles, goggles or a face shield.



#### **DUST**

Beyond its well-known impacts on lungs and slipperiness, dust also affects vision, as small particles can cause eye dryness, irritations and abrasion. To counter this problem, sealed and well-adjusted eyewear is recommended.



#### **HOT METAL**

Hot metal comes with various risks: abrasion sparks cause burns, and light from grinding and welding can lead to long-lasting vision losses. From spectacles to goggles to helmets, Bollé Safety offers protection for every situation.

### **FOCUS ON**



# 55



#### SILEX+ -

Our SILEX+ glasses combine protection, comfort and style. Their ultra-wraparound frame is devoid of any metal parts and they are equipped with our anti-fog, anti-scratch PLATINUM coating. SILEX+ is available with new branch colour combinations and in two sizes.

#### FUSION+ -

Combining its predecessors' best assets, our FUSION+ welding helmet brings optical performance, comfort and style to the range. Suitable for all welding types, it's equipped with an electro-optical filter, True Color technology and UV & IR protection.



This model was developed with the utmost respect for the environment. While remaining 100% compliant with international safety standards, its nylon frame is made from recycled fishing nets and its packaging is 100% recycled & recyclable.

#### HE RIGHT EYEWEAR

THE OIL & GAS SECTOR IS A HEAVY-DUTY INDUSTRY WHERE ENJOYING PERFECT VISION IS PRECIOUS IN ALL CIRCUMSTANCES, WHETHER ON AN OFFSHORE PLATFORM. A GAS PLANT OR IN AN OIL FIELD.

#### RECOMMENDED PRODUCTS

Drilling engineer TRYON POLARIZED

Engineering geologist **CONTOUR POLARIZED** 

Well engineer MERCURO COPPER

Operations technician **NESS + CLEAR** 

Geoscientist **HUSTLER SMOKE** 

Hydrographic surveyor TRYON COPPER

Site medic TRYON OTG CLEAR

Petroleum engineer (Offshore) MERCURO POLARIZED

Mechanical fitter **BAXTER CLEAR** 

Electro technical officer **COBRA CLEAR** 

Other products may also be suitable within this industry





#### **FOCUS ON**

#### PILOT NEO

Its co-injected, vented frame and adjustable neoprene strap guarantee perfect adaptability, comfort (even over prescription glasses) and thermal resistance, making it the optimal goggles for the oil & gas environments.



#### KOMET -

Thanks to its ultra wrap-around design, thin temple arms and a high clarity polarised lens, KOMET provides the best combination of comfort and effective protection.



#### **SUPERBLAST Foam & Visor**

SUPERBLAST combines goggles and a detachable visor in order to offer 180° vision and optimal protection, including an overflow chute for liquids. It also provides top-notch comfort, with its adjustable strap and super-lightweight quality.





#### CORROSION

With its equipment, tools and piping worn out by dirt, high pressure, harsh weather and abrasive chemicals, the oil & gas industry is highly exposed to corrosion. Rusted metal is more easily broken, hence creating flying debris and particles.



#### **UV RAYS**

On offshore platforms or open field wells, vision comfort and precision are often dangerously diminished by glares and distortions caused by sunlight. What's more, excessive exposure to high intensity light sources can cause burns and lesions to the eye.



#### **CHEMICALS**

Workers in the oil & gas industry have to deal with corrosive chemicals that present significant risk when a substance that is splashed or present in the environment impacts the eye or skin. It is therefore mandatory to use adequate protection.

# CONSTRUCTION

CONSTRUCTION SITES ARE A CONSTANT HAZARD FOR THE EYES OF WORKERS. THEY REQUIRE PROTECTION AGAINST FLYING FRAGMENTS, AGGRESSIVE CHEMICALS AND DUST BLOWING IN THE WIND.





### RECOMMENDED PRODUCTS

Project manager SILIUM+ CLEAR

Construction worker SILEX+ SMOKE

Civil engineer
CONTOUR CLEAR

Crane operator NESS+ COPPER

Concrete truck driver MERCURO POLARIZED

Dump truck operators
HUSTLER COBALT FLASH

Inspector B808 CLEAR

Welder FUSION:

Carpenter ULTIM8 CLEAR

Painter COBRA TPR

Other products may also be suitable within this industry



#### **IMPACTS**

When working on construction sites, chances to come across flying chips, shards, pieces of wood, metal or concrete are very high. Because of this, workers' eyes must be protected against mechanical hazards.



#### **DUST**

Dust is prevalent in many construction operations, and as most work happens outdoors, the wind increases dust hazards. Dust affects vision: small particles can cause eye dryness, irritations and abrasion. Therefore, sealed and well-adjusted eyewear is recommended.



#### **CHEMICALS**

From cement additives to paints to adhesives, chemical products are rife on construction sites. Through splatters and toxic vapours, they represent one of the most dangerous eye hazards for workers in this industry.

### **FOCUS ON**







#### **BL30**

These glasses were designed for universal protection. With their wraparound design and "stop-in" system that prevents contact with the lenses, BL30 eyewear is super lightweight and contains no metal parts, guaranteeing longlasting comfort and protection for all situations.

#### TRYON -

TRYON adds a sporty stylishness to your protection eyewear. This innovative model is designed with an ultra-wraparound fit and features co-injected temples and an adjustable non-slip bridge, for unparalleled comfort.

#### ATOM

Weighing no more than 73g, ATOM are the lightest protection goggles in the Bollé Safety range. They offer enhanced protection for construction workers while being compact and extremely comfortable thanks to their flexible TPR frame.

# CHEMICAL

WORKING IN THE CHEMICAL SECTOR IMPLIES BEING EXPOSED TO SPLASHES FROM HAZARDOUS AND POTENTIALLY HOT PRODUCTS. SHIELDING YOUR EYES FROM THESE VARIOUS DANGERS IS AN ABSOLUTE NECESSITY.





### RECOMMENDED PRODUCTS

Biochemist TRYON OTG CLEAR

Chemical Engineer COVERALL

Environmental Inspector SILEX+ COPPER

Forensic Chemist RUSH+ CLEAR

Food Scientist OVERLIGHT CLEAR

Laboratory Technician COBRA TPR CLEAR

Quality Control Technician COBRA HD

Pharmacy Technician NESS+ ASSEMBLED

Molecular Biologist NESS CLEAR

Other products may also be suitable within this industry

#### **FOCUS ON**

#### SUPERBLAST -

SUPERBLAST combines goggles and a detachable visor in order to offer optimal protection and 180° vision, including with our anti-fog PLATINUM coating. It also provides top-notch comfort, with its adjustable strap and super-lightweight quality.



#### **COBRATPR**

These goggles are up to contend with the most extreme conditions: high-strength, compact, lightweight and 100% sealed, COBRA TPR offers absolute protection against the dangers of hazardous chemicals.



#### ULTIM8

True to their name, our ULTIM8 goggles offer the most advanced protection for extreme work environments where dust, cold, heat and humidity can dangerously affect workers' vision. What's more, it comes as a spectacle/goggle transformation kit.



# المنافعة

#### **SPLASHES**

Splashes in the chemical industry are often corrosive, abrasive or contaminated. As exposure to these risks can lead to vision loss, it is recommended to use wraparound protective equipment, preferably sealed or vented to ensure visual comfort.



#### **CHEMICALS**

Obviously, the chemical industry is rife with chemical risks. The moving, mixing and producing of hazardous chemicals cause splatters, gas and toxic vapours and dust that can result in severe reactions in the eye.



#### **THERMAL**

Thermal risks are inherent to the chemical industry, resulting from chemical reactions and splashes of hot liquids. Heat may in turn result in burns to the eye and the fogging up of protective eyewear, which can drastically increase accidents by reducing vision.

# MINING

DUE TO INTENSE SUNLIGHT, HEAVY-DUTY
MACHINERY AND DUST, THE MINING INDUSTRY IS
RIFE WITH DANGERS TO THE EYES OF WORKERS.
FORTUNATELY, BOLLÉ SAFETY HAS THE RIGHT
PROTECTIVE EYEWEAR FOR EVERY MINING RISK.





### RECOMMENDED PRODUCTS

Drillers offsider ULTIM8 CLEAR

Underground worker SILEX AMBER

Excavator operator BAXTER POLARIZED

Fettler BAXTER SMOKE

Driller
PILOT COPPER

Camp electrician SPHERE

Mechanical field engineer TRYON COPPER

Quarry manager TRYON COBALT FLASH

Charge up operator COBRA ASSEMBLED CLEAR

Underground truck operator CONTOUR CLEAR

Other products may also be suitable within this industry



#### LUMINOSITY

In mining environments, workers can be subject to intense UV radiation or poor luminosity, or might have to constantly switch between low and bright light. All these situations cause vision discomfort, fatigue and potential eye injury.



#### **IMPACTS**

Mining requires extreme levels of power for heavy machinery, tools or high pressure for excavation. All this causes mechanical hazards for the eye due to impacts, metal chips or pieces of rock projected with high kinetic energy.



#### **DUST**

Mining is a highly dusty business, with its excavating, rock cutting and heavy duty vehicles rolling around. And dust affects vision: small particles can cause eye dryness, irritations and abrasion. Therefore sealed and well-adjusted eyewear is recommended.

#### **FOCUS ON**



#### BAXTER -

Protect your eyes from dust as well as from splashes with our BAXTER glasses. Their ingeniously designed removable strap, waterproof foam and wrap-around frame make for the perfect combination of safety and comfort.



#### **NESS+ Assembled** -

Go for the sporty look of our NESS+ glasses and enjoy absolute comfort and protection with their co-injected temples, ultra-wraparound frame, non-slip nose bridge and panoramic vision.



#### MERCURO Polarized -

Our MERCURO Polarized glasses are specifically designed for working outdoors. Their stylish and comfortable design features bi-material temples and an ultra-wraparound frame, for a wide visual field and maximum protection and performance.

# ENERGY

IN THE ENERGY INDUSTRY, THE RANGE OF POTENTIAL RISKS IS WIDE. FROM HEAT TO ELECTRICITY TO IMPACTS, WORKERS HAVE TO BE SURE THEIR EYES ARE ADEQUATELY PROTECTED IN ALL CIRCUMSTANCES.





### RECOMMENDED PRODUCTS

Electrician SPHERE

Electrical engineer SILEX+ CLEAR

Gas plant operator NESS+ SMOKE

Welder FUSION+

Mechanical engineer RUSH+ SMOKE

Electrical powerline installer MERCURO SMOKE

Power plant operator COBRA CLEAR

Pipelayer TRYON COPPER

Installation technician SILIUM+ CLEAR

Other products may also be suitable within this industry

#### SPHERE -

Our SPHERE face shield offers exceptional 180° vision and ultra-enveloping protection. In addition to the flip-up shield, the headgear and brow guard are adjustable for both height and depth: Sphere will adapt to any situation and any use.

#### **RUSH+ Small**

With their upper protection and non-slip adjustable bridge, our RUSH+ glasses offer complete safety for workers in the energy industry. Their panoramic and ultra-sporty design is now available in a smaller size, for narrower faces.

#### **NESS+ Assembled**

Go for the sporty look of our NESS+ glasses and enjoy absolute comfort and protection with their co-injected temples, ultra-wraparound frame, non-slip nose bridge and panoramic vision. They are great for all risk levels.







#### **FOCUS ON**



#### **IMPACTS**

Mechanical risks are mainly present during machining operations that can project potentially sharp-edged particles with high kinetic energy. Impact hazards vary according to sectors: they can require safety spectacles, goggles or a face shield.



#### **ELECTRICAL**

In addition to hands and body, eyes need protection against electrical risks too-and they are common in the energy sector. Protection against electric arcs requires face shields, and eyewear must be devoid of exposed metal parts or sharp edges.



#### **THERMAL**

By essence, the energy industry generates heat. Heat may in turn result in burns to the eye and the fogging up of protective eyewear, which isn't a danger per but can drastically increase accidents by reducing vision.

# **OUTDOOR**

IN MANY INDUSTRIES, WORKING OUTDOORS IS THE NORM. WHETHER IN THE HOT SUN OR UNDER CLOUDY SKIES, WORKERS NEED APPROPRIATE EYEWEAR WITH THE RIGHT LENS TREATMENT TO ENJOY OPTIMAL VISION COMFORT.





### RECOMMENDED PRODUCTS

Polarized
BAXTER POLARIZED
HUSTLER POLARIZED
CONTOUR POLARIZED
MERCURO POLARIZED
TRYON POLARIZED

Flashed HUSTLER COBALT FLASH POLARIZED TRYON COBALT FLASH KOMET FIRE FLASH

Smoke TRACKER SMOKE SOLIS GO GREEN SMOKE

Other products may also be suitable within this industry



#### **GLARES**

Reverbating surfaces are everywhere outdoors: water, snow, glass... Those surfaces increase glares, which are high luminosity sources that lead to visual discomfort and premature eye strain and fatigue. Glares highly increase the risk of accidents on the workplace as well by increasing reaction time.



#### **UV RAYS**

Whenever you're working outdoors, vision comfort and precision are often dangerously diminished by glares and distortions caused by sunlight. What's more, excessive exposure to high intensity light sources can cause burns and lesions to the eye.



#### DUST

Small particles can cause eye dryness, irritations and abrasion. Therefore sealed and well-adjusted eyewear is recommended.

### FOCUS ON







#### **HUSTLER** -

Our cobalt flash version of these stylish glasses with lateral protection offers enhanced shielding from direct sunlight as well as heat. They are also hydrophobic, which makes them an ideal choice for offshore work.

#### **CONTOUR Polarized** -

CONTOUR combines stylishness, robustness and comfort, while being one of our most lightweight models, weighing only 21 grams. For all these reasons, it is one of our best-sellers, and it's available with polarized lenses for extra comfort outdoors.

#### KOMET —

With their ultra wrap-around unisex design, thin temple arms and high clarity polarised lenses, our KOMET glasses offer cost-effective topnotch protection. In their red flash version, they are the perfect outdoor protective eyewear.



# MAXIMUM PROTECTION AND PERFECT

GO HAND IN HAND

IN ORDER TO DO THEIR JOB WITH EFFICIENCY AND PEACE OF MIND, WORKERS NEED TO BE ABLE TO SEE EXACTLY WHAT THEY'RE DOING WHILE KEEPING THEIR EYES PERFECTLY PROTECTED. MAKING SURE FOG AND SCRATCHES DON'T REDUCE THEIR VISIBILITY PLAYS AN IMPORTANT ROLE TO ENABLE THAT.

The eye is an essential and fragile organ that directs our movements and guides us in our environment. For workers in all sectors where there is a risk to the eyes, enjoying perfect

vision even when clad in full personal protective equipment, and in situations where heat and humidity are often high, can be a key issue in ensuring optimal and safe performance.



**OUTER SIDE** 

#### REACHING BEYOND SAFETY STANDARDS

As part of Bollé Safety's efforts to constantly innovate in order to guarantee optimum protection for workers' eyes, we have developed several lens coatings that improve visual comfort.

Our innovative engineering led to an anti-fog and anti-scratch

coating for safety eyewear and goggles called PLATINUM. Applied permanently through a dipping process on both sides of the lens, PLATINUM goes beyond the requirements of international standards so that industrial workers can function at their best whatever the

conditions: indoors or outdoors, in extreme heat or extreme cold, PLATINUM ensures perfect vision and safety. As it's also washresistant, protective eyewear can be re-used while retaining its full properties.

#### **HOW DOES IT WORK?**

# VISION

LENS

Fogging on lenses is due to the formation of microdroplets formed by the moisture contained in the air and in the wearer's breath and perspiration. The hydrophilic treatment of the PLATINUM coating turns these droplets into a thin film of water that entirely covers the surface of the lens and delays the appearance of fog.

Thanks to this, PLATINUM provides safety glasses and goggles with greater reliability and comfort. It is complemented by the competitively priced PLATINUM Lite surface coating, which is optimized for workspaces where the risk of fogging is more limited.

PLATINUM exclusive coatings are available on most of Bollé Safety's industrial products, including prescription glasses.

#### PLATINUM

ASAF on both sides of the lens with K & N markings

#### PLATINUM LITE

ASAF on both sides of the lens



Fogging is the result of the condensation of water into micro-droplets on the surface of the lens. This phenomenon is accentuated by strong temperature variations.

The hydrophilic PLATINUM coating prevents the creation of droplets by dispersing them over the entire surface of the glass, thus, creating a miscroscopic, colourless and uniform film of water.

Subsequent droplets will water repel this film, delaying the onset of

# GLASSES

Protecting the eyes of workers is part of protecting their integrity and wellbeing.
But they need to be able to continue to focus on their job with the least possible

hindrance from cumbersome safety equipment. Our lightweight and resistant protective glasses provide the perfect combination of precision and comfort.

# SELECTION GUIDE

ħ	冷	<b>^</b> /*	^/*	<b>^</b> /*	*	*	*	*	*
 	Gradient		Copper		_			Cobalt	Fire

MODEL	PAGES	Clear	ᄓ	Gradient Bronze	Amber	Copper Flash	Copper	Bronze	Smoke	POLARIZED	Cobalt Flash	Fire Flash	TECHNOLOGY
RUSH+	P 18	ۍ	-	-	-	-	슌	亞	<del></del>	-	-	-	†PL/TINUM
SILEX+	P 20	亞	-	-	-	-	ۍ	-	<del></del>	-	-	-	→LVINUM
NESS+	P 21	亞	-	-	-	-	ۍ	-	ۍ	-	-	-	→LATINUM
COBRA	P 22	亞	₽.	亞	Property of the control of the contro	-	ۍ	-	Property of the control of the contro	-	-	-	→LATINUM
CONTOUR	P 23	亞	-	-	-	む	亞	-	÷	순	-	-	→LATINUM
TRYON	P 24	亞	-	-	-	-	ۍ	-	<del></del>	슈	슈	-	→LVINUM
MERCURO	P 25	-	-	-	-	-	슈	-	ۍ	ۍ	-	-	*PL/TINUM
SILIUM+	P 26	ۍ	-	-	-	-	ۍ	-	₽.	-	-	-	→ LATINUM
B808	P 27	亞	-	-	-	-	-	-	_	-	-	-	→LVINUM
IRI-S	P 28	순	-	-	-	-	-	슌	ۍ	-	-	-	*PL/TINUM
BAXTER	P 29	슈	-	-	-	-	叴	-	<del></del>	÷	-	-	*PL/TINUM
TRACKER	P 30	슈	-	-	<del></del>	-	-	-	<del></del>	-	-	-	*PL/TINUM
ULTIM8	P 31	슌	-	-	-	-	-	-	-	-	-	-	*PL/TINUM
HUSTLER	P 34	-	-	-	-	-	-	-	<del></del>	÷	÷	-	+ <b>PLATINUM</b> LITE
KOMET NEW	P 35	-	-	-	-	-	-	-	<del></del>	÷	-	÷	† <b>PLATINUM</b> LITE
SOLIS GO GREEN NEW	P36	슌	-	-	-	-	-	-	<del></del>	-	-	-	† <b>PLATINUM</b> LITE
SILEX	P 37	슌	-	-	<del></del>	-	-	-	<del></del>	-	-	-	† <b>PLATINUM</b> LITE
RUSH	P 38	슈	4	-	-	-	-	-	÷	-	-	-	† <b>PLATINUM</b> LITE
NESS	P 39	슈	-	-	-	-	-	-	<del></del>	-	-	-	† <b>PLATINUM</b> LITE
SLAM	P 39	む	-	-	-	-	-	-	4	-	-	-	
SILIUM	P 42	叴	-	-	-	-	-	-	ۍ	-	-	-	
CONTOUR METAL	P 43	叴	-	-	-	令	-	-	ۍ	-	-	-	
BANDIDO	P 44	슌	-	-	-	-	-	-	-	-	-	-	† <b>PLATINUM</b> LITE
BL30	P 44	叴	-	-	-	-	-	-	<del></del>	-	-	-	→PLATINUM LITE
ILUKA	P 45	÷	-	-	-	-	-	-	4	-	-	-	† <b>PLATINUM</b> LITE
PRISM	P 45	슈	-	-	-	-	-	-	4	-	-	-	†PL^TINUM LITE

# OPTIMUM EYE PROTECTION WITH FLAWLESS COMFORT



#### **RUSH+**







CO-BRANDING

#### **TECHNOLOGIES**

#### **₽LATINUM**

#### **WEIGHT**

26 gr (46 gr with Foam & Strap)

#### **KEY BENEFITS**

Bi-material, ultra-flexible coloured temples

Available in two sizes

Available in hybrid version for extra protection

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	<b>Z</b> RUSHPPSI	2C-1.2 ☎ 1 FT KN <b>C €</b>	≅ EN166 FT <b>C €</b>	→LVINUM	EN166-EN170
	Clear	RUSHPPSIB	2C-1.2 ≅ 1 FT KN <b>€</b>		→LVINUM	EN166-EN170
ħ	Clear	RUSHPPSIG	2C-1.2 ☎ 1 FT KN <b>C €</b>		→LVINUM	EN166-EN170
ħ	Clear	<b>∠</b> RUSHPPSIO	2C-1.2 ≅ 1 FT KN <b>€ €</b>	≅ EN166 FT <b>C€</b>	→LVINUM	EN166-EN170
ħ	Clear-Small	RUSHPSPSIS	2C-1.2 ☎ 1 FT KN <b>C €</b>		→LVINUM	EN166-EN170
ħ	Clear-with Foam & Strap	RUSHPFSPSI	2C-1.2 ≅ 1 FT KN <b>€ €</b>		→LVINUM	EN166-EN170
*	Copper	<b>■</b> RUSHPCSP	5-1.4 😭 1 FT KN <b>C €</b>	≅ EN166 FT <b>C€</b>	→LVINUM	EN166-EN172
*	Copper-Small	RUSHPSCSPL	5-1.4 😭 1 FT KN <b>C €</b>	≅ EN166 FT <b>( €</b>	⇒L∧TINUM	EN166-EN172
*	Bronze	■ RUSHPTWI	5-2 ☎ 1 FT KN <b>C €</b>	≅ EN166 FT <b>C €</b>	→LVINUM	EN166-EN172
*	Smoke	<b>Z</b> RUSHPPSF	5-3.1 ☆ 1 FT KN <b>C €</b>	≅ EN166 FT <b>C€</b>	→LVINUM	EN166-EN172
*	Smoke	RUSHPPSFY	5-3.1 ☆ 1 FT KN <b>C €</b>	≅ EN166 FT <b>( €</b>	→LVINUM	EN166-EN172
*	Smoke-Small	RUSHPSPSFG	5-3.1 ☆ 1 FT KN <b>C €</b>	≅ EN166 FT <b>C €</b>	→LVINUM	EN166-EN172
-	Foam & Strap Kit	RUSHKITFS	-	-	-	-
	Strap <b>NEW</b>	PSPUNISS01	-	-	-	-



# FINEST ALL-AROUND VISION AND PROTECTION WITHOUT COMPROMISE





#### **SILEX+ SMALL**

#### **STRAP**
















#### **TECHNOLOGY**

#### \*PLATINUM

#### **WEIGHT**

30 gr

#### **KEY BENEFITS**

Ultra wrap-around frame for perfect protection

FLEX 160° temples to adapt to all heads and reduce pressure points

Available in two sizes

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	✓ SILEXPPSI	2C-1.2 ☎ 1 FT KN <b>C €</b>		⊅L∕TINUM	EN166-EN170
ñ	Clear-Small NEW	PSSSILP0402	2C-1.2 ≅ 1 FT KN <b>C €</b>		→L/TINUM	EN166-EN170
*	Copper	■ SILEXPCSP	5-1.4 😭 1 FT KN <b>C €</b>		⊅L∕TINUM	EN166-EN172
*	Copper-Small NEW	PSSSILPC092	5-1.4 😭 1 FT KN <b>( €</b>		⊅L∕TINUM	EN166-EN172
*	Smoke	SILEXPPSF	5-3.1 ☎ 1 FT KN <b>( €</b>		→L/TINUM	EN166-EN172
*	Smoke-Small NEW	PSSSILP4262	5-3.1 ☎ 1 FT KN <b>( €</b>		→L/TINUM	EN166-EN172
-	Strap <b>NEW</b>	PSPUNISS01	_	-	-	_

# UNLIMITED FIELD OF VISION WITH LIGHTWEIGHT DESIGN




#### **NESS+**

#### **FOAM AND STRAP**









#### **TECHNOLOGY**

#### **→PLATINUM**

#### **WEIGHT**

28 gr (48 gr with Foam & Strap)

#### **KEY BENEFITS**

Ultra wrap-around frame for perfect protection

Non-slip bridge

Bi-material temples for better comfort

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	NESSPPSI	2C-1.2 ☎ 1 FT KN <b>( €</b>	≅ EN166 FT <b>C €</b>	→L\TINUM	EN166-EN170
ħ	Clear with Foam & Strap	PSSNESF028	2C-1.2 ☎ 1 FT KN <b>( €</b>		⊅L∕TINUM	EN166-EN170
*	Copper	✓ NESSPCSP	5-1.4 ☆ 1 FT KN <b>C €</b>		⊅L∕TINUM	EN166-EN172
*	Smoke	NESSPPSF	5-3.1 ☎ 1 FT KN <b>C €</b>	≅ EN 166 FT <b>C €</b>	→L∕TINUM	EN166-EN172
-	Foam & Strap Kit NEW	PSPNESKB04	-		-	-
-	Strap <b>NEW</b>	PSPUNISS01	-	-	-	-

# VERSATILE VERSION FOR ENHANCED VISION IN ALL ENVIRONMENTS



#### **COBRA**





#### **TECHNOLOGIES**

# PLATINUM HO

#### **WEIGHT**

28 gr - 45 gr with Foam & Strap 48 gr with Foam & Strap (TPR)

#### **KEY BENEFITS**

1 product = 2 uses (spectacles or goggles version)

Versatile and compact model

Pivoting temples to adjust and improve protection

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ĥ	Clear	COBPSI	2C-1.2 ☎ 1 BT KN <b>C €</b>		→LVINUM	EN166-EN170
ħ	Clear - with with Foam & Strap	COBFSPSI	2C-1.2 ☎ 1 BT KN <b>C €</b>		₽L∕TINUM	EN166-EN170
ĥ	Clear with Foam & Temples	COBFTPSI	2C-1.2 ☎ 1 BT KN <b>C €</b>	≌ EN 166 FT <b>C €</b>	→LVINUM	EN166-EN170
ħ	Clear with Foam & TPR Strap	COBTPRPSI	2C-1.2 ☎ 1 BT KN <b>C €</b>	≅ EN 166 3 4 5 BT <b>( €</b>	₽L∕TINUM	EN166-EN170
ñ	₩ HD	■ COBHDPI	2C-1.2 😭 1 BT €€	≌ EN166 FT <b>C €</b>	AS/AF Hydrophobic	EN166-EN170
ĥ	Gradient Bronze	■ COBCONT	5-1.1/1.4 😭 1 BT <b>C€</b>	≌ EN166 FT <b>C €</b>	AS/AF	EN166-EN172
*	Copper	■ COBCSP	5-1.4 ☎ 1 BT KN <b>C €</b>		₽L∕TINUM	EN166-EN172
*	Amber	COBPSJ	2C-1.2 😭 1 BT 🤇 €		<b>⊅LATINUM</b> LITE	EN166-EN170
*	Smoke	COBPSF	5-3.1 ☎ 1 BT KN <b>C €</b>	≅ EN166 FT <b>C €</b>	⇒L∕TINUM	EN166-EN172
_	Foam & Strap Kit	KITFSCOB	-	≅ EN 166 3 BT <b>C €</b>	-	-

# ULTRA-LIGHTWEIGHT AND STYLISH FRAME FOR OPTIMUM COMFORT

# CONTOUR







#### **TECHNOLOGIES**

#### †PL\TINUM POLARIZED

#### **WEIGHT**

21 gr

#### **KEY BENEFITS**

Ultra-lightweight

Thin TIPGRIP temples for better support

Wraparound frame

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	Clear	CONTPSI	2C-1.2 ☎ 1 FT KN <b>C €</b>		⊅L∕TINUM	EN166-EN170
<b>*</b>	Copper NEW	■ PSSCONT-C10	5-1.4 ☎ 1 FT KN <b>( €</b>		⊅L∕TINUM	EN166-EN172
*	Copper Flash	CONTESP	5-1.4 😭 1 FT <b>C€</b>	≅ EN166 FT <b>( €</b>	AS/AF	EN166-EN172
*	Smoke	■ CONTPSF	5-2.5 ☎ 1 FT KN <b>C €</b>		⊅L∕TINUM	EN166-EN172
*	Polarized	■ CONTPOL	5-3.1 ☎ 1 FT <b>C €</b>		AS	EN166-EN172

# PERFECT COMBINATION OF STYLE AND ABSOLUTE PROTECTION














#### **TECHNOLOGIES**

#### **☆L**\TINUM POLARIZED

#### **WEIGHT**

**26 gr** (36g if worn with straps)

#### **KEY BENEFITS**

Bi-material temples for better comfort FLEX 160° temples to adapt to all heads and reduce pressure points

Half-frame with a sporty design

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	▼ TRYOPSI	2C-1.2 ≅ 1 FT KN <b>C €</b>	≅ EN166 FT <b>C €</b>	→LVTINUM	EN166-EN170
*	Copper	▼ TRYOCSP	5-1.4 ☆ 1 FT KN <b>( €</b>	≅ EN166 FT <b>( €</b>	⇒L∕TINUM	EN166-EN172
*	Smoke	TRYOPSF	5-3.1 ☎ 1 FT KN <b>( €</b>		→L∕TINUM	EN166-EN172
*	Polarized	TRYOPOL	5-3.1 ☎ 1 FT <b>C €</b>		AS	EN166-EN172
*	Cobalt Flash	▼ TRYOFLASH	5-3.1 ☎ 1 FT <b>C €</b>		AS/AF	EN166-EN172
_	Strap <b>NEW</b>	PSPUNISS01	-	-	-	_

# UNEQUALED OUTDOOR COMFORT IN STYLE

# MERCURO



**MERCURO** 









#### **TECHNOLOGIES**

# **⇔LATINUM**POLARIZED

#### **WEIGHT**

32 gr

#### **KEY BENEFITS**

Bi-material temples for better comfort Wide field of vision No metal parts

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
*	Copper	■ MERCSP	5-1.4 ☆ 1 FT KN <b>C €</b>		⊅L∕TINUM	EN166-EN172
*	Smoke	✓ MERPSF	5-3.1 ☎ 1 FT KN <b>C €</b>	≅ EN166 FT <b>C €</b>	→L∕TINUM	EN166-EN172
*	Polarized	MERPOL	5-3.1 ☎ 1 FT <b>C €</b>		AS	EN166-EN172
-	Strap <b>NEW</b>	PSPUNISS01	-	-	-	-

# STYLE, ERGONOMICS, AND PERFORMANCE FOR EXTENDED USE

# SILIUM+







#### **TECHNOLOGY**

#### **→PLATINUM**

#### **WEIGHT**

21 gr

#### **KEY BENEFITS**

Ultra-lightweight frame

All-round vision

Ultra thin temples that adapt perfectly to other PPE equipment

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	■ SILPPSI	2C-1.2 ☎ 1 FT KN <b>C €</b>	≌ EN 166 FT <b>C€</b>	⇒L∕TINUM	EN166-EN170
*	Copper	SILPCSP	5-1.4 😭 1 FT KN <b>C €</b>	≌ EN 166 FT <b>C€</b>	→L∕TINUM	EN166-EN172
*	Smoke	SILPPSF	5-3.1 😭 1 FT KN <b>C €</b>		→PL/TINUM	EN166-EN172

# WHEN PROTECTION AND LIGHTNESS COME TOGETHER

# B808





#### **TECHNOLOGY**

#### **→PLATINUM**

#### **WEIGHT**

28 gr

#### **KEY BENEFITS**

Upper and side protection Wrap-around fit Contemporary style

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	▼ B808BLPSI	2C-1.2 😭 1 FT KN 🤇 €		†PL\TINUM	EN166-EN170

# ULTRA-MODULAR AND INFINITELY ADAPTABLE EYE PROTECTION









#### **TECHNOLOGIES**

PLATINUM LITE

#### **WEIGHT**

28 gr

#### **KEY BENEFITS**

1 size fits all model Diopters available Pivoting temples

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
'n	Clear	✓ IRIPSI	2C-1.2 ☎ 1 FT KN <b>C €</b>	≅ EN 166 FT <b>C €</b>	⇒L∕TINUM	EN166-EN170
*	Bronze	✓ IRITWI	5-2 ☎ 1 FT KN <b>( €</b>		₽LATINUM	EN166-EN172
*	Smoke	✓ IRIPSF	5-3.1 ☎ 1 FT KN <b>C €</b>	≅ EN 166 FT <b>C €</b>	⇒L∕TINUM	EN166-EN172
ħ	Diopter 1.5	■ IRIDPSI1.5	2C-1.2 ☎ 1 FT <b>C €</b>		PLATINUM LITE	EN166-EN170
ħ	Diopter 2	✓ IRIDPSI2	2C-1.2 ☎ 1 FT <b>C €</b>		PLATINUM LITE	EN166-EN170
'n	Diopter 2.5	■ IRIDPSI2.5	2C-1.2 ☎ 1 FT <b>C €</b>	≅ EN 166 FT <b>C €</b>	⁺PL^TINUM LITE	EN166-EN170
ħ	Diopter 3	✓ IRIDPSI3	2C-1.2 ☎ 1 FT <b>C €</b>		PLATINUM LITE	EN166-EN170
-	Optical Insert	IRISRXKIT	-	-	-	-

# ALL-AROUND OUTDOOR PROTECTION FOR ALL SITUATIONS









#### **TECHNOLOGIES**

#### **⊅L**\TINUM POLARIZED

#### **WEIGHT**

28 gr (53 gr with Foam & Strap)

#### **KEY BENEFITS**

High impact resistance (type B: 120m/s)
Wrap-around frame
Sealed frame

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	BAXPSI	2C-1.2 ☎ 1 BT KN <b>( €</b>	Glasses: ≅ EN 166 FT <b>C€</b> With Foam & strap: ≅ EN166 3 4 5 BT <b>C€</b>	⁺PLATINUM	EN166-EN170
*	Copper	<b>■</b> BAXCSP	5-1.4 ☎ 1 BT K N <b>C €</b>	Glasses: ☎ EN 166 FT <b>C €</b> With Foam & strap: ☎ EN166 3 4 5 BT <b>C €</b>	→LVINUM	EN166-EN172
*	Smoke	BAXPSF	5-3.1 ☎ 1 BT K N <b>C €</b>	Glasses: ≅ EN 166 FT <b>C €</b> With Foam & strap: ≅ EN 166 3 4 5 BT <b>C €</b>	→LATINUM	EN166-EN172
*	Polarized <b>NEW</b>	BAXPOLWFS	5-3.1 ☎ 1 FT <b>C €</b>	© EN 166 FT C€	AS	EN166-EN172
_	Foam & Strap Kit	BAXKITFS	-	-	-	-

# SUPERIOR EYE PROTECTION WITH ROBUST DESIGN

# TRACKER

UPPER PROTECTION









#### **TECHNOLOGY**

#### +PLATINUM

#### WEIGHT

27 gr (52 gr with Foam & Strap)

#### **KEY BENEFITS**

High impact resistance (type B: 120m/s) Tipgrip bi-material temples Vented frame


USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	▼ TRACPSI	2C-1.2 🖆 1 BT KN €€	Glasses: 宮 EN 166 FT € With Foam & strap: 宮 EN 166 3 4 BT €	⊅L∕TINUM	EN166-EN170
*	Amber	■ TRACPSJ	5-1.4 😭 1 BT KN <b>C €</b>	Glasses: ≅ EN 166 FT € With Foam & strap: ≅ EN 166 3 4 BT €	⊅L∕TINUM	EN166-EN172
*	Smoke	■ TRACPSF	5-2.5 ≅ 1 BT KN <b>C €</b>	Glasses: 宮 EN 166 FT € With Foam & strap: 宮 EN 166 3 4 BT €	⊅L∕TINUM	EN166-EN172
-	Optical Insert	SOSTRACKER	-	-	-	-

# ULTIMATE PROTECTION IN THE MOST EXTREME ENVIRONMENTS

# **ULTIM8**







#### **TECHNOLOGY**

#### **₹PLATINUM**

#### **WEIGHT**

64 gr

#### **KEY BENEFITS**

Sealed bi-material frame

Assembled with a spectacles/goggles conversion kit: increases impact resistance (type B: 120m/s)

Removable and adjustable strap

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	✓ ULTIPSI	2C-1.2 😭 1 BT KN €€	Glasses: ≅ EN 166 FT C€ With Foam & strap: ≅ EN 166 3 4 5 BT C€	+>L\TINUM	EN166-EN170



# BOLLÉS/GREN.

WE ARE COMMITTED TO IMPROVING OUR ENVIRONMENTAL AND SOCIAL IMPACT THROUGH A LONG-TERM STRATEGY: GO GREEN.



Integrating sustainability in the way we conduct business has never been more essential than today. As a company, Bollé Safety has decided to become more conscious of our environment. and that goes hand in hand with also being economically conscious - to always offer the best eye protection at the best price-and conscious of our customers who trust us. It is by applying such consciousness at every level of our society that we can reach long-term sustainability.

### A COMPREHENSIVE STRATEGY

That's why Bollé Safety has taken steps to improve its ESG



practices (see next page) and make a difference for the good of people and the planet. In 2019, we launched our Go Green strategy with the objective of becoming the leading company in terms of sustainability on the safety eyewear market.

Being conscious is a state of mind taken into account in every decision and on every level. Our next step is to become a certified B corporation.

#### WHAT GO GREEN MEANS TO US

In order to reach our goals, we can count on our key strengths: innovation, communication and quality management.
This is demonstrated by a series of concrete measures:

- All our products are packaged in 100% recyclable, BPA-free plastic since 2005
- User instructions printed directly on packaging with vegetablebased ink to reduce waste
- Our new eco-conscious Solis products go even further, with their certified nylon frame made from recycled fishing nets

# AFETY GOES HIS IS HOW.

WHAT DOES ENVIRONMENTAL &
SOCIAL GOVERNANCE MEAN FOR
BOLLÉ? QUENTIN CHAPELAIN,
THE GROUP'S ESG MANAGER, AND
CAROLINE RODRIGUEZ, PRODUCT
MANAGER, GIVE US SOME DETAILS.

How would you define Environmental & Social Governance at Bollé Safety?

**Quentin:** It's one of Bollé Brands' development pillars, and a fundamentally transverse subject that touches upon marketing, legal, product development, sourcing... It's up to every company to determine how to maximize its positive impact. For us, it's about reducing our emissions, promoting the wellbeing of our employees and ensuring our suppliers uphold the same values.

What is the most important ESG aspect for Bollé Safety?

**Quentin:** Reducing our carbon footprint is our priority. This means measuring our emissions for every activity and then making impactful choices in terms of materials, manufacturing and transportation. Several initiatives have already been carried out, such as our Go Green line. My job is to coordinate our efforts.

How does this translate into Bollé Safety's products?

Caroline: We are among market leaders in terms of adopting sustainable solutions. We are working on three fronts: packaging, materials and energy consumption. For packaging, we are moving towards plastic-free, using less paper and optimizing conditioning. We are also adopting more ecofriendly materials and favoring the circular economy, for example by using fishing nets and castor oil as raw materials. Lastly, we are developing new molds requiring less energy for manufacturing and generating less waste.

- Our range of cleaning solutions was revamped to switch to water-based formulations
- Most of our coatings are waterbased to reduce the use of chemicals
- We build our moulds in ways that reduce energy consumption and waste during injection
- We work with **nonprofits and social enterprises** to increase our positive impact locally
- We study all our suppliers' policies and processes to ensure we work together towards a greener future
- In order to provide protective eyewear to every worker, **we**

design our products to combine affordability and quality

• Bollé Safety fully abides by the Bollé Brands group's code of conduct and ethics for the transparency of our action, communication and practices

# IDEAL OUTDOOR OFFSHORE PROTECTION

# HUSTLER







#### **TECHNOLOGIES**

# POLARIZED

#### **WEIGHT**

31 gr

#### **KEY BENEFITS**

TIPGRIP non-slip temples
Large side shields
Straight and flexible temples

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
*	Smoke	HUSTPSF	5-3.1 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN172
*	Polarized	HUSTPOL	5-3.1 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN172
*	Cobalt Flash Polarized	HUSTFLASH	5-3.1 ☎ 1 FT <b>( €</b>	≅ EN 166 FT <b>C€</b>	PLATINUM LITE	EN166-EN172

# ECOPERFORMANCE ADAPTED TO OUTDOOR ENVIRONMENTS

# KOMET





#### **TECHNOLOGIES**

# POLARIZED

#### **WEIGHT**

45 gr

#### **KEY BENEFITS**

Ergonomical flat temples
Engineered with hot runner moulding
Optional retainer strap and foam kit

USE	VERS	ION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
*	Smoke	NEW	■ PSSKOME408	5-3.1 ☎ 1 FT <b>C €</b>		<b>⊅LATINUM</b> LITE	EN166-EN172
*	Polarized	NEW	■ PSSKOMEP01	5-3.1 ☎ 1 FT <b>C €</b>	≅ EN 166 FT <b>C €</b>	AS	EN166-EN172
*	Fire Flash	NEW	■ PSSKOMEF06	5-3.1 ☎ 1 FT <b>C €</b>	≅ EN 166 FT <b>C €</b>	AS	EN166-EN172
-	Strap	NEW	PSPUNISS01	-	-	-	-

SUSTAINABLE PROTECTION, COMFORT AND STYLE





#### **TECHNOLOGY**

\*PLATINUM LITE

#### **WEIGHT**

25 gr

#### **KEY BENEFITS**

Recycled nylon frame made from fishing nets

Recycled & still 100% compliant to international safety standards

Only available in eco-packaging

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear NEW	PSSSOLI063	2C-1.2 ☎ 1 F <b>C €</b>		PLATINUM LITE	EN166-EN170
*	Smoke NEW	PSSSOLI441	5-3.1 ≅ 1 F <b>C €</b>	<b>≅</b> EN166 F <b>C €</b>	→PLATINUM LITE	EN166-EN172

## ALL-AROUND VISION AND PROTECTION WITHOUT COMPROMISE

## SILEX




**SILEX** 









#### **TECHNOLOGY**

#### \*PLATINUM LITE

#### **WEIGHT**

30 gr

#### **KEY BENEFITS**

Large temples for increased lateral protection


Panoramic vision for extra visibility

FLEX 160° temples to adapt to all heads and reduce pressure points

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	✓ SILEXPSI	2C-1.2 ☎ 1 FT <b>( €</b>		PLATINUM LITE	EN166-EN170
*	Amber NEW	✓ SILEXPSJ	2C-1.2 ☎ 1 FT <b>( €</b>		PLATINUM LITE	EN166-EN170
*	Smoke	✓ SILEXPSF	5-3.1 ☎ 1 FT <b>( €</b>		PLATINUM LITE	EN166-EN172
_	Strap <b>NEW</b>	PSPUNISS01	-	-	_	-

## PERFECT OPTICAL QUALITY WITH FLAWLESS COMFORT

## RUSH







#### **TECHNOLOGIES**

## PLATINUM LITE

#### **WEIGHT**

25 gr

#### **KEY BENEFITS**

No metal part Non-slip temples Upper protection

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
<b>^</b>	Clear	RUSHPSI	2C-1.2 😭 1 FT <b>( €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN170
冷	→ HD	RUSHDPI	2C-1.2 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C€</b>	AS/AF-Hydrophobic	EN 16666-EEN 17700
*	Smoke	▼ RUSHPSF	5-3.1 ☎ 1 FT <b>C €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN172
-	Foam	RUSHKITFS	-	-	-	-

### PERFECT OPTICAL QUALITY WITH FLAWLESS COMFORT

#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

28 gr

#### **KEY BENEFITS**

Thin temples that adapt perfectly to other PPE equipment

Optional retainer strap and foam kit

Ultra wrap-around frame for perfect protection







USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	■ NESSPSI	2C-1.2 ☎ 1 FT <b>( €</b>		<b>⊅LATINUM</b> LITE	EN166-EN170
*	Smoke	■ NESSPSF	5-3.1 ☎ 1 FT <b>C €</b>	≅ EN166 FT <b>C €</b>	<b>⊅LATINUM</b> LITE	EN166-EN172
-	Strap <b>NEW</b>	PSPUNISS01	-	-	-	-

## STYLE AND VERSATILITY FOR COMPLETE PROTECTION

#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

23 gr

#### **KEY BENEFITS**

Comfortable straight temples
All-round field of vision
Adapted to narrow faces

## SLAM





USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	■ SLAPSI	2C-1.2 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN170
*	Smoke	■ SLAPSF	5-3.1 😭 1 FT <b>C€</b>	≌ EN 166 FT <b>C€</b>	†PLATINUM LITE	EN166-EN172

## THE EXCELLE PROGRAME

## THE ULTIMATE SOLUTION FOR PRESCRIPTION SAFETY EYEWEAR

Did you know that one third of the world's population has vision problems? In fact, productivity loss due to poor vision costs billions every year. Both safety and productivity are largely improved when companies take action to provide their employees with the correct prescription safety eyewear, because doing your job with optimal vision and comfort makes

all the difference. We know that many companies do not have the expertise nor the time to manage their employees' prescription needs, and we're here to help. Bollé Safety offers a ready-to-use solution for businesses of all sizes: the Excellence programme.



#### A SIMPLE PROCESS



Simple, reliable, and accessible, the Excellence prescription programme focuses on selecting, with the help of Bollé Safety's experts, a range of frames and coatings employees can choose from.

From there, a network of partner opticians provide local and customized services to each employee, guaranteeing a perfect fit of both lens and frame. Lastly, our programme includes the management of every employee's equipment through an online platform that simplifies the administrative process while ensuring optimal protection for all.

## NCE

#### DESIGN, COMFORT AND EFFECTIVENESS

Because a great service requires a great product, the Excellence program comes with all of Bollé Safety's expertise and 130 years of innovation. We offer various lens materials that fit the specific needs of each sector, and all our frames are available within the Excellence programme, as well as our exclusive Lens Technologies: B-zen (anti-reflective & blue light protector) and PLATINUM (permanent double-sided anti-fog/anti-scratch), and MODULATOR (Photochromic lens changing shade depending on the quantity of UV rays).

The technical performance of our safety spectacles goes beyond standards to give your employees' eyes increased safety. Moreover, the comfort and design of our lenses and frames are studied to make employees want to wear them.

With effective and desirable protection and a simplified ordering procedure, Bollé Safety's Excellence prescription programme is a strategic choice to implement your HSE policy with peace of mind and effectively protect your people's vision in the workplace.



#### FRAMES FOR ALL FACES

The wide range of frames available with Bollé Safety prescription eyewear allow our glasses to successfully adapt to all types of morphologies. Whatever the type of activity they engage in and the level of protection they require, we've got your employees covered.

Depending on protection requirements and morphology, we offer frames with a curve varying from 4 to 8.



Slightly curved. Recommended for all prescription lenses



Curved.
Adapted to 85% of prescription lenses



Very curved.
Adapted to 70% of prescription lenses

## WHY CHOOSE BOLLÉ SAFETY TO PROTECT AND CORRECT YOUR EMPLOYEES' EYESIGHT?



per employee saved annually with a 5% productivity increase thanks to eyesight correction

Bad eyesight increases the risk of accidents and decreases productivity. Our wide range of solutions **meets 98% of prescription needs**.

The Excellence prescription programme is a simple, turnkey offer combining protection and correction for every employee.

We will recommend the best solution for every situation and manage orders via our secure webshop, for reliable and real-time management.

We guarantee optimum lens quality and personal service with a network of local partner opticians.



For more information, feel free to browse our Prescription Programme brochure and section on our website.

## PURE LINES COMBINED WITH TECHNOLOGY AND STRENGTH

## SILIUM







#### **TECHNOLOGY**

#### \*PLATINUM LITE

#### **WEIGHT**

34 gr

#### **KEY BENEFITS**

Metal frame

Adjustable non-slip nose bridge

FLEX 160° temples to adapt to all heads and reduce pressure points

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ĥ	Clear	SILPSI	2-1.2 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN170
*	Smoke	SILPSF	5-2.5 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C€</b>	†PLATINUM LITE	EN166-EN172

## OPTIMUM COMFORT WITH ROBUST WRAP-AROUND DESIGN

# CONTOUR METAL FLEX 160° TEMPLES







#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

38 gr

#### **KEY BENEFITS**

Metal frame

comfort foam

Adjustable non-slip nose bridge Increased upper protection with

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
<b>^</b>	Clear	■ CONTMPSI	2C-1.2 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>C €</b>	PLATINUM LITE	EN166-EN170
*	Copper Flash	■ CONTMESP	5-1.4 ☎ 1 FT <b>C €</b>	≌ EN 166 FT <b>C €</b>	AS	EN166-EN172
*	Smoke	CONTMPSF	5-3.1 😭 1 FT <b>C€</b>	≅ EN 166 FT <b>C €</b>	† <b>PLATINUM</b> LITE	EN166-EN172

## ECONOMICAL MODEL FOR GENUINE PROTECTION

#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

28 gr

#### **KEY BENEFITS**

Wrap-around frame Reinforced bridge

## BANDIDO



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ñ	Clear	BANCI	2C-1.2 ☎ 1 FT <b>( €</b>	≅ EN166 FT <b>C€</b>	PLATINUM LITE	EN166-EN170

## UNIVERSAL DESIGN WITH WRAP-AROUND PROTECTION

#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

27 gr

#### **KEY BENEFITS**

«Stop-in» hinge system

Lightweight

No metal parts





USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	PSSBL30-010	2C-1.2 ☆ 1 FT <b>( €</b>	≅ EN166 FT <b>C €</b>	⁺PLATINUM LITE	EN166-EN170
<b>^</b>	Clear	PSSBL30-013	2C-1.2 ☎ 1 FT <b>C €</b>	≅ EN166 FT <b>C €</b>	<b>⊅LATINUM</b> LITE	EN166-EN170
冷	Clear	PSSBL30-014	2C-1.2 ☎ 1 FT <b>( €</b>		⁺ <b>PLATINUM</b> LITE	EN166-EN170
冷	Clear	PSSBL30-016	2C-1.2 ☎ 1 FT <b>( €</b>		<b>⊅LATINUM</b> LITE	EN166-EN170
n	Clear	PSSBL30-047	2C-1.2 ☎ 1 FT <b>( €</b>	≅ EN166 FT <b>C €</b>	<b>⊅LATINUM</b> LITE	EN166-EN170
冷	Clear	☐ PSSBL30-048	2C-1.2 ☎ 1 FT <b>( €</b>		†PLATINUM LITE	EN166-EN170
*	Smoke	■ PSSBL30-408	5-2.5 ☎ 1 FT <b>C €</b>		→LATINUM LITE	EN166-EN172

## THIN AND LIGHTWEIGHT DESIGN FOR EXTENDED WEAR

**TECHNOLOGY** 

\*PLATINUM LITE

**WEIGHT** 

22 gr

#### **KEY BENEFITS**

Adapted to thin faces

Bi-material temples for better comfort

Ultra thin temples that adapt perfectly to other PPE equipment

## ILUKA



WRAP-AROUND SHAPE



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	✓ ILUPSI	2C-1.2 ☎ 1 FT <b>C €</b>	≌ EN166 FT <b>( €</b>	PLATINUM LITE	EN166-EN170
*	Smoke	<b>ILUPSF</b>	5-3.1 ☎ 1 FT <b>C €</b>		PLATINUM LITE	EN166-EN172

## LIGHTNESS AND STYLE WITH SUPERIOR PROTECTION

**TECHNOLOGY** 

PLATINUM LITE

**WEIGHT** 

23 gr

#### **KEY BENEFITS**

Lightweight frame

No metal parts

Comfortable straight temples

## **PRISM**



ADAPTED TO THE FOOD-PROCESSING INDUSTRY



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	PRIPSI	2C-1.2 ☎ 1 FT <b>( €</b>		PLATINUM LITE	EN166-EN170
*	Smoke	PRIPSF	5-2.5 😭 1 FT <b>C€</b>		† <b>PLATINUM</b> LIT€	EN166-EN172




## PREMIUM ULTRA-COVERING PROTECTION

## TRYON OTG









#### **TECHNOLOGY**

#### \*PLATINUM

#### **WEIGHT**

41 gr

#### **KEY BENEFITS**

Adjustable and stretchable temples

Flexible front protection

Curved tips inside each temple providing comfort, stability and perfect support on the face

US	SE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ř	<b>^</b>	Clear	▼ TRYOTGPSI	2C-1.2 ☎ 1 FT KN <b>C €</b>		→LVINUM	EN166-EN170
*	*	Smoke	▼ TRYOTGPSF	5-3.1 😭 1 FT KN <b>C €</b>		→L∕TINUM	EN166-EN172

#### **COMPACT AND ATTRACTIVE ULTA-COVERING PROTECTION**

#### **TECHNOLOGY**

\*PLATINUM LITE

#### WEIGHT

33 gr

#### **KEY BENEFITS**

2 uses: glasses and/or OTG

Ultra wrap-around frame for perfect protection

No metal parts



OTG

## **OVERLIGHT**



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
₩	Clear	OVLITLPSI	2C-1.2 ☎ 1 FT <b>( €</b>		PLATINUM LITE	EN166-EN170

#### **ECONOMICAL ULTRA-COVERING PROTECTION**

#### **TECHNOLOGY**

+PLATINUM LITE

#### **WEIGHT**

43 gr

#### **KEY BENEFITS**

Adjustable temples

Wide sideshields

Lateral indirect vents



OTG

## SQUALE



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ñ	Clear	SQUPSI	2C-1.2 😭 1 FT <b>C €</b>		PLATINUM LITE	EN166-EN170

#### COST-EFFECTIVE OVERSPECTACLES WITH WIDE SIDESHIELDS

**WEIGHT** 

41 gr

**KEY BENEFITS** 

Wide side shields

Lateral vents

Compatible with all prescription glasses



OTG

## **BL11**



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	BL11CI	<b>☆</b> 1FT <b>(€</b>	≅ EN166 FT <b>C€</b>	AS	EN166
冷	Clear	BL11PI	2-1.2 😭 1 FT <b>€€</b>	≅ EN166 FT <b>C €</b>	-	EN166-EN170

## WIDE FIELD OF VISION WITH INCREASED EYE PROTECTION

**WEIGHT** 

41 gr

#### **KEY BENEFITS**

Lateral protection

Half frame design

Adjustable and stretchable temples



OTG

## **BL13**



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
n	Clear	BL13CI	2-1.2 ☎ 1 FT <b>( €</b>		AS	EN166-EN170

# WHEN OTHERS SEE STRUGGLES YOU POSSIBILI



#### DON'T JUST PROTECT YOUR EYES

IMPROVE
WHAT YOU USE
THEM FOR

WITH MULTIPLE TINTS AND **TECHNOLOGIES TO CHOOSE** FROM, OUR COMFORT SENSE **PERCEPTION FILTERING TECHNOLOGY IS DESIGNED TO GO BEYOND PROTECTION AND ENHANCE PERFORMANCE. BY ENSURING OPTIMAL COMFORT** AND EXCEPTIONAL VISUAL **DEFINITION. NO MATTER WHAT** YOUR PARTICULAR SITUATION **ENTAILS. CSP LENSES SHIELD** YOUR EYES WHILE BOOSTING YOUR SENSES IN ALL UV & LIGHT-SENSITIVE SITUATIONS, INCREASING THE PRECISION OF YOUR MOVEMENTS.

#### **COMFORT**


Visual comfort is all about contrast optimisation and color enhancement. Regardless of sunlight and glare, you want to keep enjoying precise details and color accuracy. With CSP, our lense tints are adapted to unique work environments, ushering in a new era of exceptional visual definition.

#### **SENSE**

Sight is one of the key senses that ensures our safety. By perceiving their environment and analysing potential risks, workers are able to ensure their well-being. With EN166 rated lenses, CSP optimises vision even in UV & light-sensitive situations, guaranteeing maximum visual acuity.

#### **PERCEPTION**

Thanks to CSP's unique properties, visual cognition is improved through ultra stimulation. By going beyond what the eye can see, we can take full control of our capacities, for optimal precision and ultimate performance enhancement.



POLYCARBONATE LENSES	USE	LIGHT TRANSMISSION	COMPATIBLE WITH →LATINUM
□ H⊐		96%	-
GRADIENT BRONZE		88%	-
MODULATOR	<b>^</b> /*	Filter category 0-3	-
AMBER	<b>^</b> /*	82%	₽
COPPER	<b>^</b> /*	65%	₽
COPPER FLASH	<b>^</b> /*	65%	-
POLARIZED	*	13%	-
SMOKE	*	13%	<b>₽</b>

POLYCA LENSES	ARBONATE S	USE	LIGHT TRANSMISSION	COMPATIBLE WITH →PLATINUM
	QUARTZ	*	16%	₽
	BRONZE	*	40%	÷
	SILVER FLASH	*	13%	-
	COBALT FLASH	*	13%	-
	FIRE FLASH	*	13%	-
	WELDING 1.7		50%	-
	WELDING 3		13%	-
	WELDING 5		2%	₽
	WELDING 5 GREY		2%	<b>→</b>

#### LENSES ADAPTED TO ALL **SITUATIONS**

WHEN WORKING INDOORS, LIGHTING CAN BE TOO WEAK OR TOO AGGRESSIVE. ENSURING MAXIMUM CLARITY WHILE PROTECTING THE EYES FROM THE HARSHNESS OF ARTIFICIAL LIGHTING, OUR INDOOR LENSES OFFER ENHANCED COMFORT IN ANY TYPE OF INDOOR WORK ENVIRONMENT.

#### **EXCEPTIONAL CLARITY**

Improves perception and clarity thanks to its exceptional visible light transmission rate (96%).

Increases wearer acceptance rate by offering greater visual comfort than conventional clear lenses.



With its hydrophobic technology used by the automotive industry, the HD coating guarantees perfect water resistance.

#### **OPTIMAL WORKING COMFORT**

Counters the aggressiveness of artificial lighting.

Reduces eye fatigue for optimum working comfort and improves contrast and relief.

Ideal for static workstations under neon light, halogens or other sources of blue light that can affect the eyes.



WORKERS WHO NAVIGATE BETWEEN INTERIOR AND EXTERIOR ENVIRONMENTS NEED VERSATILE LENSES THAT WILL ENSURE OPTIMAL VISION WHATEVER THE SITUATION. OUR INDOOR/OUTDOOR BEIGE TINTED LENSES PROVIDE THAT FLEXIBILITY.

#### TINTS THAT MATCH THE LIGHT

Photochromic lenses darken automatically according to UV levels. Optimise sight, protection and comfort throughout the day. Available in brown or grey tints, with anti-scratch coating.



**CLARITY IN DIM LIGHTING** 

Recommended for low light environments, both indoors and outdoors. Increases contrast, particularly useful for night driving. Filters out noxious blue light.



AMBER

#### SEE THROUGH EXTREME CONDITIONS

Ideal for all activities requiring exposure to alternating high and low light. Adapted to environments with extreme temperatures.



COPPER

Blue light filtration combined with our exclusive PLATINUM anti-fog coating.

#### LET IN THE GOOD LIGHT

Provides optimal visible light transmission (over 60%). Reduces glare and reflections when moving from a dark to well-lit environment. Filters out noxious blue light.



COPPER FLASH

WHEN WORKING OUTDOORS, WORKERS REQUIRE INFALLIBLE PROTECTION AGAINST INTENSE LUMINOSITY AND UV RAYS TO ENSURE THE SUNLIGHT DOESN'T PREVENT THEM FROM ENJOYING OPTIMAL VISION.

#### THE END OF GLARE

Improves colour perception and visual comfort. Improves perception of contrast and depth.

Reduces eye strain.



POLARIZED

#### **TOTAL UV BLOCKER**

Offers highly effective filtering of UVA and UVB rays (99.99%). Compatible with PLATINUM anti-fog coating.



SMOKE

#### **SOLAR TINT**

Improves depth perception and contrast by increasing the visual acuity. Blue light filtering, enhancing the color red. Reduces glares.



QUARTZ

#### **IDEAL FOR LOW LUMINOSITY**

Recommended for work outdoors at dawn or dusk. Improves contrasts in low light and absorbs over 75% of blue light. Compatible with PLATINUM anti-fog coating.



BRONZE

#### PROTECTION IN THE HOT SUN

Ideal for use in full sunshine.

Protects wearer from heat.

Can be combined with Polarized technology.



SILVER FLASH



COBALT FLASH FIRE FLASH

WELDING REQUIRES ADEQUATE PROTECTION FROM INTENSE LUMINOSITY. BY COMBINING THAT PROTECTION WITH ENHANCED VISION, OUR LENSES PROVIDE WORKERS WITH HEIGHTENED GESTURE PRECISION AND THEREFORE EFFECTIVENESS.

#### FOR WELDING ASSISTANTS

50% light transmission. Protects from UV and infrared radiation. Adapted to torch soldering and brazing.



WELDING 1.7

#### FOR GRINDING AND WELDING-BRAZING

13% light transmission. Protects from UV and infrared radiation. Adapted to light cutting.



WELDING 3

#### FOR WELDING-BRAZING AND OXY-CUTTING

2% light transmission. Protects from UV and infrared radiation. Adapted to gas welding and oxygen cutting.

Welding 5 grey offers a better color recognition for increased accuracy and effectiveness.



WELDING 5



**WELDING 5 GREY** 



## SELECTION GUIDE



MODEL	VERSION	PAGES	Clear	Copper	Smoke	TECHNOLOGY
SUPERBLAST		P 56	슈	-	-	†PL/TINUM
PILOT		P 57	슈	슈	÷	†PL/TINUM
АТОМ		P 58	슈	-	-	†PL/TINUM
BLAST		P 58	슈	-	-	PLATINUM LITE
COVERALL		P 59	<del></del>	-	-	PLATINUM LITE
BL15		P 59	슈	-	-	-
SUPERBLAST		P 60	슈	-	-	PLATINUM LITE
АТОМ		P 61	슈	-	-	†PL/TINUM
BLAST		P 62	슈	-	-	†PLATINUM LITE
COVERALL		P 63	슈	-	-	PLATINUM LITE
BL15		P 63	슈	-	-	-

To prevent any risk of impact, chemical splashes, dust, gas or molten metal, Bollé Safety offers a wide range of safety goggles for protection against a whole range of different risks. One of the driving factors to take into consideration is the type of ventilation of your equipment. All our goggles have also been tested and approved to Optical Class 1 which means that they can be worn all day and every day without affecting your vision.

#### **VENTED FRAMES**

The indirect ventilation prevents liquids from going directly into the goggle and affect the eyes of the worker. The ventilation holes of the goggle frame are generally very small and placed around the top and/or sides of the goggles. Indirect vented goggles can provide protection against impact (B), liquid splashes (3), large dust particles (4) and/or molten metal (9).

Indirect vented safety goggles allow air to travel across the frame which can prevent the lens from fogging.


#### SEALED FRAMES

Our sealed goggles are designed to provide protection from impact (B), liquid splashes (3), large dust particles (4), fine dust particles and gases (5), and/or molten metal (9). Check that your equipment is suitable for the chemical risk identified, the symbol 3, 4 or 5 must be marked on the frame, according to the EN166 standard.

Sealed goggles must be fitted. The better the seal of your goggles, the higher the level of protection against liquid splash and chemical risks.

## GREATER COMFORT AND PROTECTION WITH INDIRECT AIRFLOW





#### **TECHNOLOGIES**

PLATINUM LITE

#### **WEIGHT**

113 gr

#### **KEY BENEFITS**

Flexible and clear frame for increased comfort

Intuitive and simple goggle-visor assembly system

Indirect vented frame

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	SUPBLAPSI	2C-1.2 ☎ 1 9 BT <b>( €</b>			EN166-EN170
ĥ	Clear (with foam)	SUPBLFAPSI	2C-1.2 ☎ 1 9 BT <b>( €</b>	≅ EN166 3 4 9 BT C€		EN166-EN170
ħ	Clear	SUPBLAPSIP	2C-1.2 ☎ 1 9 BT KN <b>( €</b>		⊅L∕TINUM	EN166-EN170
-	Visor	SUPBLV	-		-	EN166

## OPTIMUM INNER AND OUTTER PROTECTION WITH FLAWLESS COMFORT



INDIRECT VENTED FRAME











#### **TECHNOLOGY**

#### \*PLATINUM

#### **WEIGHT**

89 gr

#### **KEY BENEFITS**

3 lens versions to cover all needs, indoor and/or outdoor use

Available with a neoprene strap for chemical environments

Bi-material frame for better comfort

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	Clear	PILOPSI	2C-1.2 😭 1 BT 9 KN <b>C €</b>		→L/TINUM	EN166-EN170
*	Copper	PILOCSP	5-1.4 😭 1 BT 9 KN <b>C €</b>		⊅L∕TINUM	EN166-EN172
*	Smoke	PILOPSF	5-3.1 ≅ 1 BT 9 KN <b>C €</b>		→LVINUM	EN166-EN172
ħ	Clear with Neoprene strap	■ PSGPIL2-L16	2C-1.2 ☆ 1 BT 9 KN <b>C €</b>		→L\TINUM	EN166-EN170
*	Copper with Neoprene strap	■ PSGPIL2-L17	5-1.4 😭 1 BT 9 KN <b>€ €</b>		⊅L∕TINUM	EN166-EN172
*	Copper-Firefighter	PILOFCSP	5-1.4 😭 1 BT 9 KN <b>C €</b>		+>L\TINUM	EN166-EN172

#### FEATHERWEIGHT AND COMPACT GOGGLES WITH INDIRECT AIR FLOW

**TECHNOLOGY** 

+PLATINUM

**WEIGHT** 

74 gr

#### **KEY BENEFITS**

Ultra lightweight and compact goggles

Comfortable and flexible frame

Indirect vented frame





ADJUSTABLE STRAP

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	ATOAPSI	2C-1.2 😭 1 BT KN €€	≅ EN166 3 BT <b>C €</b>	→L\TINUM	EN166-EN170
'n	Clear-with foam	ATOFAPSI	2C-1.2 😭 1 BT KN €€		⇒L∕TINUM	EN166-EN170
-	Visor	ATOV	-	EN166 3 BT €€	-	EN166
-	Optical insert	SOSATOM	-	-	-	EN166

## ALL-AROUND VISION WITH AIR FLOW CIRCULATION

#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

113 gr

#### **KEY BENEFITS**

Intuitive and simple goggle-visor assembly system

Possible to wear a half-mask respirator



Indirect vented frame

OTG

## BLAST



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	BLAPSI	2-1.2 ☎ 1 BT 9 <b>( €</b>		<b>⊅LATINUM</b> LITE	EN166-EN170
ħ	Clear-with foam	BLFAPSI	2-1.2 ☎ 1 BT 9 <b>C €</b>	EN166 3 9 BT €€	<b>⊅LATINUM</b> LITE	EN166-EN170
-	Visor	BLV	-		-	EN166
-	Optical insert	SOSBLAST	-	-	-	EN166

#### VERSATILE AND EFFECTIVE EYE PROTECTION WITH INDIRECT AIR FLOW

**TECHNOLOGY** 

\*PLATINUM LITE

**WEIGHT** 

67 gr

**KEY BENEFITS** 

Comfortable, flexible frame Economical and effective Indirect vented frame



OTG

## COVERALL



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	☐ COVARSI	2C-1.2 ☎ 1 BT <b>( €</b>		<b>→LATINUM</b> LITE	EN166-EN170

## THE VENTED GOGGLES SUITABLE FOR ALL

**WEIGHT** 

74 gr

**KEY BENEFITS** 

Available with anti-fog coating Adjustable tightening elastic Flexible and vented frame

## **BL15**




USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	BL15API	≌1BT9 <b>(€</b>		-	EN166
冷	Clear	BL15APSI	<b>≅</b> 1BT <b>C€</b>	≅ EN166 3 4 BT <b>€</b>	AF	EN166

GREATER COMFORT WITH SUPERIOR PROTECTION

## SUPERBLAST





#### **TECHNOLOGY**

#### \*PLATINUM LITE

#### **WEIGHT**

113 gr

#### **KEY BENEFITS**

Flexible and clear frame for increased comfort

Intuitive and simple goggle-visor assembly system

Sealed frame

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	SUPBLEPSI	2C-1.2 ☎19BT <b>(€</b>	EN166 3 4 5 9 BT €€	PLATINUM LITE	EN166-EN170
_	Visor	SUPBLV	-		-	EN166

## FEATHERWEIGHT AND COMPACT GOGGLES WITH SUPERIOR PROTECTION





#### **TECHNOLOGY**

#### **→PLATINUM**

#### **WEIGHT**

71 gr

#### **KEY BENEFITS**

Ultra lightweight and compact goggles Comfortable and flexible frame Sealed frame

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear-with foam	■ ATOEPSI	2C-1.2 ☎ 1 BT KN <b>C €</b>		⁺PL^TINUM	EN166-EN170
-	Visor	ATOV	-		-	EN166
-	Optical insert	SOSATOM	-	-	-	EN166

## ALL-AROUND VISION WITH SUPERIOR PROTECTION

## BLAST





#### **TECHNOLOGY**

#### 

#### **WEIGHT**

113 gr

#### **KEY BENEFITS**

Intuitive and simple goggle-visor assembly system

Possible to wear a half-mask respirator Sealed frame

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	BLEPSI	2-1.2 ☎ 1 BT 9 <b>( €</b>	≅ EN166 3 4 5 9 BT <b>( €</b>	<b>⊅L∕\TINUM</b> LITE	EN166-EN170
_	Visor	BLV	-		-	EN166
-	Optical insert	SOSBLAST	-	-	-	EN166

#### VERSATILE AND EFFECTIVE EYE PROTECTION WITH INDIRECT AIR FLOW

#### **TECHNOLOGY**

\*PLATINUM LITE

**WEIGHT** 

67 gr

#### **KEY BENEFITS**

Comfortable, flexible frame Economical and effective Sealed frame



## COVERALL



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	☐ COVERSI	2C-1.2 ☆ 1 BT KN <b>( €</b>	≅ EN166 3 4 5BT <b>(€</b>	₽LATINUM	EN166-EN170

## THE SEALED GOGGLES SUITABLE FOR ALL

#### **WEIGHT**

74 gr

#### **KEY BENEFITS**

Available with anti-fog coating Adjustable tightening elastic Sealed frame

## **BL15**



USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
冷	Clear	PSGBL15-A02	<b>≅</b> 1BT <b>€€</b>	≅ EN166 3 4 5 BT <b>C €</b>	AF	EN166

# THE SUBTLE OF PROTECT

Creating protective eyewear that's comfortable and stylish while complying with standards, regulations and tastes that differ globally is a constant challenge for Bollé Safety's design teams. Rubina Meunier, VP of Brand, sheds some light on how we balance it all.

#### HOW DOES THE DESIGN PROCESS WORK FOR SAFETY EYEWEAR?

"Well, first and foremost, we place the user at the heart of our product development. so everything starts with user needs. We're fortunate enough to have real customer intimacy, and we're always paying attention to changes happening in professions, but also in society overall. We collect feedback through customer satisfaction surveys once a year, and we work with focus groups and stay on top of technological news. On top of all that, regulations and standards are constantly evolving, and our products have to stay compliant. The challenge is to balance these constraints with making comfortable, efficient and stylish products."

## WHAT IS YOUR PRIMARY OBJECTIVE WHEN DESIGNING A PRODUCT?

"That people actually wear them! It may seem selfevident, but in practice, lots of protective eyewear often stays in the pocket. How do you make this equipment attractive so that users really adopt them? You basically have to design protective eyewear that doesn't look like protective eyewear, that users feel comfortable wearing for hours on end. Our brand has a strong image, and the Bollé Safety style is recognizable, it's in our DNA. Making products that are stylish, sporty, even sexy and accessible to all, that's all part of our heritage and influences the way we design our products."



"

Our brand has a strong image, and the Bollé Safety style is recognizable, it's in our DNA.

## ART VE SIGN

#### ARE THERE ANY SPECIFIC ASPECTS TO THIS TYPE OF PRODUCT DESIGN IN PARTICULAR?

"I would say working with standards and regulations. We have to be able to go beyond them, conforming to highly technical characteristics while making eyewear that can be worn for a long time because it's mandatory, and therefore has to be acceptable and comfortable, with good ergonomics, which means getting the pressure points just right, etc. These aspects are specific to our industry."

#### BOLLÉ SAFETY PRODUCTS HAVE TO FIT A WIDE RANGE OF REQUIREMENTS AND TASTES. HOW DO YOU ACHIEVE THAT?


"Because we're a global brand that's at the service of all workers, reaching beyond our core domains of industrial and prescription eyewear, we have to adapt to different cultures, different fits, different uses, so that our products are equally appreciated in Asia Pacific,

Latin American or European regions. We're able to do that thanks to our wide range of products, which is where our added value resides. Our capacity to create innovations for a specific client, conceiving a product for them from A to Z, is also one of our strengths that we owe to our longstanding specific expertise in protective eyewear. To do all that, we've internalized our engineering, design, product creativity and innovation pool through our EPIC (Excellence in Product Innovation and Creativity) initiative and centers. It's the programme that drives all things design and innovation at Bollé Brands, so it's at the core of our business strategy, allowing us to develop the best, most innovative, performancedriven products available in the market to all our customers."

66

It's the programme that drives all things design and innovation at Bollé Brands, so it's at the core of our business strategy, allowing us to develop the best, most innovative, performance-driven products available in the market to all our customers.

"



## COMPLETE HEAD AND FACE PROTECTION AGAINST ELECTRICAL RISKS





#### **WEIGHT**

355 gr


#### **KEY BENEFITS**

Resistant to high energy impact 20.5 x 39.4 cm polycarbonate shield Protection against electrical short circuit arcs

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
<b>^</b>	Clear	SPHERPI	2C-1.2 ☎1 AT 8 9 <b>C €</b>	≅ EN166 3 8 9 AT <b>C€</b>	-	EN166-EN170
ħ	Clear-Extra lens	FASPHERPI	2C-1.2 ☎ 1 AT 8 9 <b>C €</b>	-	-	EN166-EN170

## FULL FACE COVERAGE ADAPTED TO MOST INDUSTRIAL RISKS





#### WEIGHT

274 gr

#### **KEY BENEFITS**


Adjustable headband Tilting shield Easy lens replacement

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear	■ PFSIFS2109	2C-1.2 ☎ 1 B <b>( €</b>		-	EN166-EN170
ħ	Clear-Extra lens	PSLIFS2102	2C-1.2 ≅ 1 B <b>( €</b>	-	-	EN166-EN170

## ULTRA WRAP-AROUND FIT FOR ALL USES IN ABRASIVE ENVIRONMENTS

## TILTING SHIELD





#### **TECHNOLOGY**

+PLATINUM LITE

**WEIGHT** 

200 gr

#### **KEY BENEFITS**

Protection against electrical short circuit arcs (RELRSI version)

Some versions with acetate lens

19 x 29 cm tilting shield

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
ħ	Clear - Extra PC Lens	FARELPSI	<b>☆</b> 1F <b>(€</b>	-	PLATINUM LITE	EN166
ħ	Clear-Extra Acetate Lens	FARELRSI	2C-1.2 ≅ 2 B 8 N <b>( €</b>	-	AF	EN166-EN170
ħ	Clear-PC	RELPSI	<b>≅</b> 1F <b>(€</b>	≅ EN166 3 B 8 <b>€</b>	†PLATINUM LITE	EN166
ñ	Clear-Acetate	RELRSI	2C-1.2 ☎ 2 B 8 N <b>( €</b>		AF	EN166-EN170



## SELECTION GUIDE

MODEL	VOLT	FUSION+	FLASH
ELECTRO-OPTICAL	TRUE COLOR	TRUE COLOR	TRUE COLOR
FILTER SIZE	110x90x9 mm	110x90x9 mm	110x90x9.8 mm
FIELD OF VISION	96x39 mm	100x53 mm	98x87 mm
CE OPTICAL CLASS	1/1/1/2	1/1/1/2	1/1/1/1
DETECTION SENSORS	2	4	4
GRINDING FEATURE	Yes (external)	Yes (external)	Yes (external)
SENSITIVITY ADJUSTMENT	Yes (internal)	Yes (internal)	Yes (internal)
VARIABLE SHADES	4/9-13 (external)	4/5-8/ 9-13 (external)	4/5-8/9-13 (internal)
SHADE RANGE	-	5-8/9-13 (internal)	5-8/9-13 (internal)
REACTION TIME	0.1 to 1s (internal)	0.1 to 1s (internal)	0.1 to 1s (internal)
UV/IR PROTECTION	Permanent	Permanent	Permanent
REPLACEABLE BATTERY	Yes (CR2032 battery)	Yes (CR2032 battery)	Yes (CR2450 battery)
LOW BATTERY INDICATOR	Yes	Yes (red light)	Yes (red light)
ERGONOMIC SHAPE-MEMORY HEADBAND	No	Yes	Yes
PROTECTIVE COVER INCLUDED	No	Yes	Yes
WARRANTY	2 years	2 years	2 years

#### FILTER PERFORMANCE

Filter performance is measured by its optical class consisting of 4 numbers, for example 1/1/1/1 or 1/1/1/2 standing for, in order:

- The optical quality (minimum optical deformation in class 1)
- Light diffusion (maximum accuracy in class 1)
- **Consistency** (minimum image disturbance in class 1)
- Dependency angle (maximum field of vision in class 1)

#### TRUE COLORS





Our welding range is entirely researched and designed to meet current standards as well as comfort and style rules. All our welding helmets are fitted with active darkening filters (ADF) for all types of welding (Coated electrode arc, MIG/MAG, TIG, PLASMA) for effective protection from UVs and infrared.

The new TRUE COLOR technology on our active filters makes it possible to improve colour recognition while reducing eye fatigue and increasing visibility of the welding area.

## EXTENSIVE WELDING VERSION WITH ERGONOMIC SHAPE-MEMORY HEADBAND



FLASH



REACTION TIME: 0,10 MS



4 INDEPENDENT DETECTION SENSORS



FILTER 5-8 / 9-13







True color



**WEIGHT** 

562 gr

#### **KEY BENEFITS**

XXL  $98 \times 87 \text{ mm}$  field of vision

Ergonomic shape-memory headband

Electro-optical filter

Interior adjustements: shade, sensitivity, time to return to clear, grinding/welding function



REFERENCE	DESCRIPTION	STANDARD
FLASHV	Full electro-optical helmet with variable shades 5-8 / 9-13	EN166-EN175-EN379
B9V	Electro-optical filter with variable shades 5-8 / 9-13	EN166-EN175-EN379
COVFLASHEXT	118 x 136 mm outer protective screen	EN166
COVFLASHINT	105 x 92 mm inner protective screen	EN166
STFUSP	Ergonomical shape-memory headband	C€
BESM	Sweatband	CE

#### WHEN PERFORMANCE, SAFETY AND STYLE COME TOGETHER



FUSION+







LOW BATTERY
INDICATOR AND
REPLACEABLE
BATTERY



#### **TECHNOLOGY**

True color



**WEIGHT** 

525 gr

#### **KEY BENEFITS**

XL 100 x 53 mm field of vision Ergonomic shape-memory headband Electro-optical filter Permanent protection against UV & IR

REFERENCE	DESCRIPTION	STANDARD
FUSV	Full electro-optical helmet with variable shades 4 / 5-8 / 9-13	EN166-EN175-EN379
B7VP	Electro-optical filter with variable shades 4 / 5-8 / 9-13	EN166-EN175-EN379
COVFUSPEXT	115 x 104 mm outer protective screen	EN166
COVFUSPINT	105 x 58 mm inner protective screen	EN166
STFUSP	Ergonomical shape-memory headband	C€
BESM	Sweatband	C€

#### ROBUST PROTECTION IN STYLE







#### **TECHNOLOGY**

True color



#### **WEIGHT**

480 gr

#### **KEY BENEFITS**

M 96 x 39 mm field of vision

Adjustable sensitivity of the return to a clear state

Adjustable headband


Permanent protection against UV & IR

REFERENCE	DESCRIPTION	STANDARD
■ VOLTV	Full electro-optical helmet with variable shades 4 / 9-13	EN166-EN175-EN379
B6V	Electro-optical filter with variable shades 4 / 9-13	EN166-EN175-EN379
COVFUSPEXT	115 x 104 mm outer protective screen	EN166
COVOINT	102.5 x 42.3 mm inner protective screen	EN166
STFUSP	Adjustable headband	C€
BESM	Sweatband	C€

#### FLEXIBLE FRAME WITH GREY SHADE FOR INCREASED COMFORT AND ACCURACY

## SUPERBLAST





#### **TECHNOLOGY**

#### \*PLATINUM LITE

#### **WEIGHT**

113 gr

#### **KEY BENEFITS**

Flexible frame for increased comfort

Grey shade for improved colour recognition and accuracy

Shade 5 for welding-brazing and oxycutting applications

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
<u></u>	Welding 5 Grey	■ SUPBLAWPCC5	5 ≌19BT <b>(€</b>			EN166-EN169
-	Visor	SUPBLV	-		-	EN166



**WEIGHT** 

28 gr



WEIGHT

52 gr



#### **SLAM**







**WEIGHT** 

47 gr

OTG

## COVERSAL





Welding assistants

SHADE 1.7



Grinding & Welding-brazing

SHADE 3



Welding-brazing & oxy-cutting applications

SHADE 5

MODEL	USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
SLAM	Welding assistants	Welding 1.7	■ SLAWPCC2	1.7 😭 1 FT <b>C €</b>		AS	EN166-EN169
TRACKER II	Welding assistants	Welding 1.7	■ TRACWPCC2	1.7 😭 1 FT <b>C €</b>		AS	EN166-EN169
SLAM	Grinding & Welding-brazing	Welding 3	SLAWPCC3	3 ☎ 1 FT <b>( €</b>		AS	EN166-EN169
TRACKER II	Grinding & Welding-brazing	Welding 3	■ TRACWPCC3	3 😭 1 FT <b>(€</b>	≅ EN 166 FT <b>C €</b>	AS	EN166-EN169
BANDIDO	Welding-brazing & oxy-cutting applications	Welding 5	■ BANWPCC5	5 ☎ 1 FT <b>( €</b>		AS	EN166-EN169
SLAM	Welding-brazing & oxy-cutting applications	Welding 5	SLAWPCC5	5 ☎ 1 FT <b>( €</b>	≌ EN 166 FT <b>( €</b>	AS	EN166-EN169
TRACKER II	Welding-brazing & oxy-cutting applications	Welding 5	■ TRACWPCC5	5 ☎ 1 FT <b>( €</b>		AS	EN166-EN169
SQUALE	Welding-brazing & oxy-cutting applications	Welding 5	SQUWPCC5	5≌1S <b>(€</b>		AS	EN166-EN169
COVERSAL	Welding-brazing & oxy-cutting applications	Welding 5	COVRP5	5 ☎ 1 <b>C€</b>	≅EN166 / EN175 F <b>C €</b>	-	EN166-EN175





CLEANING

## ACCESSORIES

When you take good care of your equipment, it lasts longer, so you can change it less often. You save money and spare the environment: it's a win-win!

To help you properly maintain

your spectacles, goggles and face shields, Bollé Safety has designed a complete range of practical and effective accessories.



BOLLÉ SAFETY HAS DESIGNED A COMPLETE RANGE OF PRACTICAL ACCESSORIES TO PROTECT YOUR SPECTACLES, GOGGLES AND FACE SHIELDS.









Spring-top polyester pouch Ref. ETUIS



Hard case Small Ref. PACCASR-2



bollé

**"Banana" case**with belt clip and loop
Ref. ETUIB









Retainer strap adjustable and compatible with several models (RUSH+, RUSH+ Small, NESS, NESS+, TRYON, SLAM+, MERCURO, SILEX, SILEX+, SILEX+ Small, KOMET). Ref. PSPUNISS01



## ANTI-FOG SOLUTIONS

SPECIALLY DEVELOPED TO COMBAT THE APPEARANCE OF FOGGING, THE B-CLEAN ANTI-FOG LINE GUARANTEES YOUR EYE PROTECTION WILL BE USED TO ITS BEST.





Anti-Fog Kit 30ml spray + 1 microfibre cloth Ref. PACF030



Anti-Fog spray 500ml

Ref. PACF500

#### DISPENSER

Kit out your workplace.

The B600 is a plastic dispenser containing 2 boxes of 200 multi-purpose wipes and a 500 ml cleaning spray. It can be fitted to the wall or stand on a surface.

Ref. PACD500







Get the user instructions on our web site bolle-safety.com

## CLEANING PRODUCTS

AND PROTECTION FOR YOUR SPECTACLES AND GOGGLES.

THE B-CLEAN BOLLÉ SAFETY RANGE OF CLEANING SOLUTIONS
GUARANTEES OPTIMUM CLEANING. ALCOHOL AND SILICONE FREE,
ITS WATER-BASED FORMULA GUARANTEES A PERFECT CLEANING



BETTER VISION



WATER-BASED FORMULA



FOR ALL TYPES OF LENSES



ALCOHOL AND SILICONE FREE

Dispenser with 500 pre-impregnated wipes

Ref. PACW500





6 CLEAN

DELEAN



Cleaning

spray 500 ml

Ref. PACS500

Cardboard wall dispenser

Cleaning spray 250 ml + 2 x 200 wipes. Ref. PACD250



Cleaning spray 250 ml Ref. PACS250

> Cleaning spray 50 ml Ref. PACS050

Box of 200 multi-function wipes Ref. PACMPCT








Bollé Safety was one of the first on the market to offer branding possibilities to its customers. Thanks to our long-standing experience, you can rely on our innovative and high quality service that will be sure to meet your specific needs.

## CUSTOMIZE YOUR PROTECTIVE EYEMEAR



#### YOUR BRAND WHERE YOU WANT IT

We will make your eyewear exactly the way you want it. Choose branding on the lens, temples or case (if applicable). Use our exclusive online service to create your model.

# BOLLÉ SAFETY TAKES CUSTOMIZATION ALL THE WAY

FROM A SIMPLE MARK ON GOGGLES TO CO-CREATING AN ENTIRE PRODUCT WITH A CUSTOMER, ALL LEVELS OF CUSTOMIZATION ARE POSSIBLE WITH OUR EYEWEAR. LET'S GET INTO SPECIFICS WITH PROJECT MANAGER CAROLINE RODRIGUEZ.

#### WHAT ARE THE VARIOUS LEVELS OF CUSTOMIZATION BOLLÉ SAFETY OFFERS?

There are three levels. Customization level one is co-branding, where we print a customer's logo or add their colors to one of our existing products, which is possible even for small quantities (from 1,200 units). Level two is SMU, or "special make up", which consists in changing the lens or strap color on products that are already certified. SMU requires larger quantities, from 4 or 5,000 units. And the top level is "special projects", where we develop a product from scratch, because the customer has a specific need that can't be met with our catalogue products. For example, we developed a detachable visor for a helmet or a strapless visor for cleanroom protective equipment.





### SINCE WHEN AND TO WHOM DO YOU OFFER CUSTOMIZATION?

Any company can make a customization request. We officially launched the offer in 2014; we only did one-off projects before that. Not many manufacturers have the design, engineering, certification and production capacities to offer this. Right now we're looking to develop special projects and long-term collaborations with customers.

#### HOW DOES THE PROCESS TAKE PLACE?

We handle product development from A to Z. We discuss with the customer, examine the project's feasibility, and once we get started, we create sketches, then 3D models, and depending on the type of customization -prototypes. It's a truly collaborative process.

#### **VISIBILITY & ENGAGEMENT**

Wherever your employees are, your brand is visible with them. And because looks matter, they will feel proud to don customized and exclusive eyewear.



**CO-BRANDING IS NOW ALSO AVAILABLE FOR CERTAIN FACE MASKS.** Over 100 companies already have their cobranded eyewear. Take a look at our brochure to learn about our complete offer.



## PROTECTING EYES

## AGROSS SECTORS

ENSURE TOTAL PROTECTION WHILE ENJOYING OPTIMAL VISION, ACROSS ALL INDUSTRIAL ACTIVITIES AND BEYOND.

## FOR ALL INDUSTRIAL SEGMENTS:



**AUTOMOTIVE** 



**AVIATION** 



CONSTRUCTION



**ENERGY** 



**FOOD PROCESSING** 



MANUFACTURING



**MINING** 



OIL & GAS

#### **IN OTHER SEGMENTS**

#### **HEALTHCARE**

Healthcare professionals need to enjoy perfect vision while donning complete safety equipment. Thanks to our protective eyewear, they can perform their daily tasks with total comfort and peace of mind.

#### **TACTICAL**

Bollé Safety's Standard Issue division aims to be a leader in the tactical market by providing innovative and reliable protective eyewear to first responders, military personnel, law enforcement and more.

#### **PRESCRIPTION**

Our prescription safety spectacles provide your employees with both increased eye safety and optimal vision. They are also comfortable and desirably designed, so that they will be happy to wear them.

#### **BLUELIGHT**

Our ProBlu program provides protective and stylish eyewear against radiations from screens. Children, gamers, workers in certain industrial fields or just everyday computer users: we can all benefit from shading our eyes from noxious bluelight.

#### **CLEANROOMS**

Our protective Cleanroom goggles are an effective addition to workers' equipment in industries such as electronics, pharmaceuticals, food processing and medical equipment to limit airborne contamination from workers and maintain cleanliness levels compliant with regulatory standards.

## 130+ YEARS OF EYEWEAR INNOVATION

## TO EMPOWE USERS

THE JOURNEY OF BOLLÉ SAFETY IS INEXTRICABLY LINKED TO THAT OF BOLLÉ. THROUGHOUT TIME, ONE THING NEVER CHANGED: OUR CAPACITY TO LEVERAGE TECHNOLOGICAL EVOLUTIONS TO CONSTANTLY BRING INNOVATIONS TO MARKET, FUELED BY AN UNWAVERING COMMITMENT TO PROTECTING THE EYES OF WORKERS TO HELP THEM BE GREAT AT WHAT THEY DO.



#### CREATION OF BOLLÉ IN OYONNAX

This area of the Jura mountains was the cradle of the plastics industry in France. Bollé originally produced combs and hair accessories.

#### 1936

#### FIRST BOLLÉ SUNGLASSES & CROWN SYMBOL

The company launches celluloid frames and its first sunglasses. Maurice & Robert Bollé become known as "the kings of glasses" and create the crown symbol, engraved on all the brand's glasses ever since, symbol of quality and innovation.

### 1950

#### FIRST PROTECTION GOGGLES

The first series of protective goggles for industrial use completes the Bollé line of products as early as 1950.

#### 1981

#### PRESCRIPTION PROGRAMME LAUNCH

A wide range of safety spectacles with prescription lenses become available, for those who need vision correction while enjoying maximum protection for their eyes.

## 1994

#### **CREATION OF BOLLÉ SAFETY**

Bollé Safety is launched as a new division and brand. After decades of growth and synergy with Bollé while developing its own distribution network, Bollé Safety gains its independence.



#### BOLLÉ SAFETY GOES WORLDWIDE

With products distributed in over 100 countries and worn by 20 million workers globally, Bollé Safety opens representations in Japan, the USA, Latin America and Hong Kong.

#### 2014

#### OUR EYEWEAR GOES PLATINUM

To ensure optimal and enduring vision in all situations, Bollé Safety launches PLATINUM, an exclusive anti-scratch and anti-fog coating applied on both sides of the lens.

### 2015

#### LAUNCH OF THE CO-BRANDING PROGRAMME

Bollé Safety is one of the first manufacturers to offer co-branding to its customers, creating products that look just like them.



### 2019

#### LAUNCH OF THE SUSTAINABILITY 'GO GREEN' PLAN

Bollé Safety develops coconscious projects for the greatest benefits of both our customers and the planet.

#### 2020

#### DEVELOPMENT OF THE HEALTHCARE RANGE

Protective eyewear developed in response to COVID-19, so healthcare workers can rely on their PPE to stay as efficent as possibile and concentrate on saving lives. A new range dedicated to the men and women who protect us, engineered for First responders, Shooting, Law enforcement & Military.

## 20

#### **MILLION USERS**

in more than 100 countries worldwide (185 000+ companies)

## 754

**PRODUCTS AVAILABLE** 



#### **OFFICES WORLDWIDE**

Carlsbad (USA) London, UK & Irlande Lyon (France) Hong Kong Tokyo (Japan) Melbourne (Australia).



## MARKINGS AND STANDARDS

BOLLÉ SAFETY EYEWEAR BEARS LENS AND FRAME MARKINGS THAT ARE SPECIFIC TO EACH PRODUCT.

EVERY MARKING IS RELATED TO A PARTICULAR USE AND PROVIDES INFORMATION THAT IS CERTIFIED AND TESTED BY INDEPENDENT LABORATORIES, THUS GUARANTEEING THE QUALITY AND RESISTANCE OF YOUR PROTECTIVE EYEWEAR.



#### **EN166**

Guarantee of minimum protection against common risks (dropping, sun-ageing, heat exposure, corrosion, etc.).

#### ΜK

The UKCA (UK Conformity Assessed) marking is a new marking used for goods sold on the market in Great Britain (England, Wales and Scotland). It covers most goods which previously required the CE marking.

#### A NEW ISO STANDARD

In the coming years, ISO 16321 will officially replace EN166 in order to bring more safety to users. Some of our products will carry the ISO 16321 markings. For more information on the standard and the markings, please contact our experts.



#### The guarantee of Bollé Safety product authenticity and quality.

#### **LENS MARKING**

SYMBOL	DEFINITION		DISPONIBLE IN		NORMA	SUBJECT
		Glasses/ Over the glasses	Goggles	Faceshields		
1	Continuous work - Worn permanently				EN166	Optic class
2	Non-continuous work - Worn intermittently				EN166	Optic class
8	Electrical short circuit arc				EN166	Electric risk
9	Molten metal and hot solids				EN166	Thermal risk
s	Extra strong: resists a 22mm 43g ball falling 1.3m at 5.1 m/s		$\square$		EN166	Mechanical risk
F	Low energy impact, resists a 6mm, 0.86g ball at 45m/s				EN166	Mechanical risk
В	Medium energy impact, resists a 6mm, 0.86g ball at 120 m/s		$\square$		EN166	Mechanical risk
Α	High energy impact, resists a 6mm, 0.86g ball at 190 m/s				EN166	Mechanical risk
Т	Authorised use in an environment in which high speed particles at extreme temperatures are present				EN166	Mechanical risk
К	Resistance to surface damage by fine particles				EN166	Abrasion
N	Resistance to fogging				EN166	Fogging

#### **FRAME MARKINGS**

SYMBOL	DEFINITION		DISPONIBLE IN		NORMA	SUBJECT
		Glasses/ Over the glasses	Goggles	Faceshields		
3	Liquid droplets or splashes				EN166	Chemical risk
4	Large dust particles >5 microns				EN166	Chemical risk
5	Gas and fine dust particles <5 microns				EN166	Chemical risk
8	Electrical short circuit arc				EN166	Electric risk
9	Molten metal and hot solids				EN166	Thermal risk
s	Extra strong: resists a 22mm 43g ball falling 1.3m at 5.1 m/s				EN166	Mechanical risk
F	Low energy impact, resists a 6mm, 0.86g ball at 45m/s				EN166	Mechanical risk
В	Medium energy impact, resists a 6mm, 0.86g ball at 120 m/s				EN166	Mechanical risk
Α	High energy impact, resists a 6mm, 0.86g ball at 190 m/s				EN166	Mechanical risk
Т	Authorised use in an environment in which high speed particles at extreme temperatures are present	W			EN166	Mechanical risk

#### WARNING

- **F.** Maximum protection for spectacles.
- **B.** Maximum protection for goggles.
- $\boldsymbol{\mathsf{A.}}$  Maximum protection for face shields.

If the S, F, B, A and T symbols do not apply to both the lens and frame, then the lowest level must be assigned to the complete protective eyewear.

## QUICK SEARCH

FIND OUT AT A GLANCE ALL THE MODELS OF GLASSES, OVER THE GLASSES, GOGGLES, FACE SHIELDS AND WELDING EQUIPMENTS AVAILABLE IN THIS CATALOGUE.

#### **GLASSES**

	COATING	PAGES
BANDIDO	PLATINUM LITE	P 44
BAXTER	+PLATINUM	P 29
B808	+PLATINUM	P 27
BL30	PLATINUM LITE	P 44
COBRA	+PLATINUM	P 22
CONTOUR	+PLATINUM	P 23
CONTOUR METAL	PLATINUM LITE	P 43
HUSTLER	PLATINUM LITE	P 34
ILUKA	PLATINUM LITE	P 45
IRI-S	;>L/TINUM	P 28
NEW KOMET	<b>PLATINUM</b> LITE	P 35
MERCURO	†PL/TINUM	P 25
NESS	<b>⊅LATINUM</b> lite	P 39
	BAXTER  B808  BL30  COBRA  CONTOUR  METAL  HUSTLER  ILUKA  IRI-S  NEW  KOMET  MERCURO	BANDIDO PLATINUM LITE  BAXTER PLATINUM  BSOS PLATINUM  COBRA PLATINUM  CONTOUR PLATINUM  METAL PLATINUM LITE  ILUKA PLATINUM LITE  IRI-S PLATINUM  KOMET PLATINUM  MERCURO PLATINUM  INITER

MODEL		COATING	PAGES
	NESS+	⇒L∕TINUM	P 21
	PRISM	∵PL/XTINUM LITE	P 45
The state of the s	RUSH	<b>⊅L∕XTINUM</b> LITE	P38
	RUSH+	;PL∕TINUM	P 18
	SILEX	'PL∕TINUM LITE	P 37
	SILEX+	⇔L∕TINUM	P 20
M	SILIUM	PLATINUM LITE	P 42
7	SILIUM+	⇔L∕TINUM	P 26
	SLAM	PLATINUM LITE	P 39
	NEW SOLIS GO GREEN	PLATINUM LITE	P36
	TRACKER	;>L∕TINUM	P 30
	TRYON	⇒LATINUM	P 24
3	ULTIM8	;PL∕TINUM	P 31

#### **OVER THE GLASSES**

MODEL		COATING	PAGES
	BL11	AS	P.49
	BL13	AS	P.49
	OVERLIGHT	† <b>PLATINUM</b> LITE	P.48
n on	SQUALE	† <b>PLATINUM</b> Lite	P.48
	TRYON OTG	;PL/\TINUM	P.47

#### GOGGLES

MODEL		COATING	PAGES
The second of th	<b>ATOM</b> Vented	;PL\TINUM	P 58
autos!	<b>ATOM</b> Sealed	†PL\TINUM	P 61
	<b>BLAST</b> Vented	<b>⇒L∆TINUM</b> Lite	P 58
	<b>BLAST</b> Sealed	'PL∕TINUM LITE	P 62
	<b>BL15</b> Vented	-	P 59
	<b>BL15</b> Sealed	-	P 63
	<b>COVERALL</b> Vented	'PLATINUM LITE	P 59
	<b>COVERALL</b> Sealed	†PLATINUM LITE	P 63
ala C	<b>PILOT</b> Vented	⇒L∧TINUM	P 57
	SUPERBLAST Vented	⇒L∧TINUM	P 56
Ward No.	<b>SUPERBLAST</b> Sealed	'PL∕ATINUM LITE	P 60

#### FACE SHIELDS

MODEL		COATING	PAGES
1	IFS20	-	P 68
1	SPHERE	-	P 67
10	TILTING SHIELD	*PLATINUM LITE	P 69

#### WELDING

MODEL		COATING	PAGES
	BANDIDO	-	P 76
To i	COVERSAL	-	P 76
	FLASH	-	P 72
	FUSION+	-	P 73
	SLAM	PLATINUM LITE	P 76
	SQUALE	-	P 76
	SUPERBLAST	† <b>PLATINUM</b> LITE	P 75
Date allow	TRACKER II	-	P 77
	VOLT	-	P 74

IF YOU CAN'T FIND A MODEL
IN THE CATALOGUE, YOU CAN FIND IT
ON OUR WEBSITE BOLLE-SAFETY.COM

#### EUROPE / BOLLÉ SAFETY

34, rue de la Soie 69100 Villeurbanne France Tel: 00 33 (0)4 78 85 23 64 E-mail: contact@bolle-safety.com

#### UK & IRELAND / BOLLÉ SAFETY

Unit C83-Barwell Business Park Leatherhead Road-Chessington Surrey-KT9 2NY-UK Tel. 00 44 (0)208 391 4700 Fax: 00 44 (0)208 391 4733 E-mail: sales@bolle-safety.co.uk

